

GUIDE TO THE WESTERN AUSTRALIAN - SOUTH AUSTRALIAN GARDEN of the MELTON BOTANIC GARDEN



First edition 2021

This first edition was developed by
Barb Pye, Wendy Johnson,
Jeanette Hodder, and David Pye,
members of the Friends of the
Melton Botanic Garden



Introduction

Photographs are by Barb Pye, Anne Langmaid and David Pye

Construction and planting of the Western Australian – South Australian (WASA) garden followed the Masterplan developed by Mike Smith and Associates, with its implementation planned by a committee comprising Barb Pye, Monique Perry (MCC), Anne Langmaid, John Bentley and David Pye. Construction commenced in 2014 with weed control, ripping, bed definitions and pathways for the whole area. In 2015, the northern beds were built and planted, commencing in May. The remaining beds were constructed and planted during 2016 and 2017. The garden was built and planted by volunteer members of the Friends of the Melton Botanic Garden (FMBG), who were assisted by Work for the Dole Teams. The garden continues to be managed and maintained by a volunteer group with members from the FMBG and the Centrelink Volunteers Program. David and Barb Pye have continued to manage the program to establish and maintain the Western Australian – South Australian garden (WASA). This program has included construction, plant selection and procurement, and maintenance.

Growth of the garden has been fast, with significant flowering within 2 years.

Information was referenced from

- Florabase – <https://florabase.dpaw.wa.gov.au> – website of the Western Australian Herbarium
- Seeds of South Australia <https://spapps.environment.sa.gov.au/seedsofsa/> website of the South Australian Seed Conservation Centre which was established by the Botanic Gardens of Adelaide in 2002.
- Phil Vaughan, Vaughan's Native Plants
- Marilyn Sprague and other enthusiasts of Australian plants.

Acknowledgements

We are grateful for support from various people who have given seed, plants and /or advice. Plants have been obtained from many sources, including Phil Vaughan, Marilyn Sprague, Native Plant Wholesalers, State Flora Nursery at Murray Bridge (South Australia), Neil Duncan and numerous other growers at plant sales organised by the Australian Plants Society (APS). Many plants have been propagated by the FMBG Plant Nursery, using seed purchased from Nindethana Seeds, or by using seed or cuttings donated by various APS members.

Location of the Melton Botanic Garden

The Public Car Park is at 40 Lakewood Boulevard.

The Depot and Plant Nursery are at 21 Williams Street, near the corner of Tullidge Street and Williams Street.

See Melways Map 337 Ref: C10 and D10

Contact details:

Friends of the Melton Botanic Garden

PO Box 2381

Melton South, Vic, 3338

Email: friends@fmbg.org.au

Website: www.fmbg.org.au

CONTENTS

	Page
Map of garden showing garden beds	4
Bioregions of Western Australia	5
Display bed -	6
Geraldton Sandplains (GES) -	7
Esperance Plains (ESP) -	8
Avon Wheatbelt (AVW) -	9
Mallee (MAL) -	10
Murchison MUR) -	11
Coolgardie (COO) -	12
Nullarbor (NUL) -	13
South Australian Dryland -	14
Eyre York Block (EYB) -	15
Eremophila (Erem) –	16
Central beds	17
Plants in alphabetical order	18


WEST AUSTRALIAN – SOUTH AUSTRALIAN GARDEN

MAP OF GARDEN SHOWING GARDEN BEDS



BIOREGIONS OF WESTERN AUSTRALIA

A bioregion is a region defined by characteristics of the natural environment rather than by man-made divisions. Each of the Western Australian beds in the garden represents a different bioregion.



This map is from Australia's bioregions (IBRA) website <https://www.environment.gov.au/land/nrs/science/ibra>

DISPLAY BED (Disp)



This bed was created in 2015 primarily to grow Western Australian paper daisies, and some Western Australian species which were not necessarily from our target areas. Like most other beds in the Western Australian Garden it was built up with local soil and then mulched with a layer of river sand about 10cm deep.

It was fenced off from rabbits as paper daisies are favoured food of rabbits.

The paper daisies self sow from year to year. They usually germinate after the first autumn rains and flower in spring.

We have had difficulty establishing some plants in this bed as it seems to dry out very quickly..

Dampieras have been tried without much success but the South Australian species *Halgania cyanea* has thrived.

Beaufortia orbifolia, *Eremaea beaufortioides*, *Eucalyptus synandra*, *Acacia lasiocarpa* var *sedifolia* and a grafted specimen of the rare *Grevillea treueriana* are some of the original plantings which are still growing well.

Geraldton Sand Plains (GES)



This bed was commenced in 2015 to show plants from the Geraldton Sand Plains bioregion of Western Australia.

This is a coastal area north of Perth. It includes the towns of Geraldton, Dongara and Jurien Bay.

It also includes Jurien Lesueur National Park which is one the highest areas of botanical biodiversity in Western Australia.

Several species of *Banksia* have done well in this bed including *Banksia ashbyi* which shows off its orange flowers for a long period from late winter into spring.

There are also some large specimens of *Grevillea leucopteris* and *Grevillea dielsiana*. and a mass planting of *Grevillea delta*.

Later plantings of *Diplolaena* species have been very successful.

Fifteen species of *Hakea* have also thrived.

The rare *Darwinia chapmaniana* is also in this bed together with several species of *Pileanthus* and *Calytrix*.

The best flowering times for this bed are from late winter through to spring and early summer

Esperance plains (ESP)



This bed was also commenced in 2015.

The Esperance Plains Bioregion encompasses the towns of Bremer Bay, Ravensthorpe, Hopeton and Esperance and most importantly the Fitzgerald River National Park which is another biodiversity hot spot. It is bounded by the Mallee Bioregion in the north and in the west by the wetter Jarrah Forest region.

Various proteaceous plants dominate this region. Species of *Banksia*, *Hakea*, *Grevillea*, *Isopogon*, *Petrophile* and *Lambertia* are flourishing in this bed and are seen at their best in winter and early spring.

There are also many species from the Myrtaceae family including *Verticordia*, *Melaleuca*, *Leptospermum* and *Calothamnus*, *Anigozanthus rufus* flowers in this bed for a long time between winter and early summer.

Avon Wheatbelt (AVW)



The Avon Wheatbelt is a large tract of agricultural land which is dominated by winter rainfall and hot dry summers.

The main towns in this area are Northam, Merredin, Narrogin and Katanning. Vast areas have been cleared for cropping but there are several important reserves including the Dryandra Forest near Katanning and the Lake King Flora Reserve.

The two beds devoted to this region were begun in 2015 and feature a large variety of plants from the region. Several specimens of *Grevillea magnifica* dominate the beds in winter, attracting many honeyeaters. *Hemiandra pungens* is almost always in flower and a large drift of *Hypocalymma angustifolia* flowers in early spring.

There are also several species of *Melaleuca*, *Isopogon*, *Petrophile* and *Verticordia*.

Two fine specimens of the rare *Acacia denticulosa* are a feature of early spring.

Mallee (MAL)



The Mallee bioregion of Western Australia lies between The Esperance Plains region and the Avon Wheatbelt. It includes the Stirling Ranges National Park and the tourist attraction of Wave Rock near Hyden.

Our two Mallee beds were started in 2016, one was built up with local soil and a sand mulch, while the other was planted without any additional soil. This second bed became very wet after heavy rain and a lot of plants were lost. In 2020 the front half of the bed was built up and mulched with sand. It was replanted with a large number of *Lechenaultia* and other species in 2020.

Two grafted grevilleas are features of the first Mallee bed – *Grevillea excelsior* and *Grevillea eriostachys*. A number of *Hakea* species are also featured.

Lechenaultia formosa and *Lechenaultia biloba* are predominant spring flowers.

Murchison (MUR)



The Murchison bed was constructed in 2016. It represents the goldfields area east of Kalbarri which is dominated by mesa and low hills separated by flat plains. The main population centres are Leinster, Leonora, Meekatharra, Mount Magnet, Laverton, Cue and Wiluna.

The bed is dominated by a large specimen of *Eucalyptus camaldulensis* from the Murray region of NSW and Victoria. This tree limits the planting possible around it. A dry creek bed runs through the front of the bed, to assist in drainage of the area. The bed was built up with extra soil and a sand mulch. In 2020 as this bed was unexpectedly too wet for the species from this area.

It is planned to plant a lot more small plants around the creek bed especially *Ptilotus* which have done very well. In 2020 some direct seeding of *Swainsona formosa* (Sturt Desert Pea) was successful and it is planned to have a bigger display in the future. Several grafted grevilleas were also planted in 2020.

Coolgardie (COO)



The Coolgardie bed was commenced in 2016 .It represents a low rainfall area stretching from Norseman in the south to Menzies in the north, and from west of Kalgoorlie to Balladonia in the east. Over 150 species of eucalypts occur in this region, which includes the Great Western Woodland. It also has many species of wattle..

The dry creek bed runs through part of this bed. The bed has not been built up and as a result it is rather wet at the southern end, near the end of the creek. Many eucalypts have been planted here which should help to dry out this area in the future.

Highlight s are *Eucalyptus pterocarpa*, *Eucalyptus kruseana* and the brilliant red of the Western Australian bottlebrush *Callistemon phoeniceus*. Several species of *Hakea* have succumbed due to the high water table.

Nullarbor (NUL)



The Nullarbor region covers the coastal area around the Great Australian Bight. It is a vast limestone plain on either side of the Western Australian and South Australian border. It is dominated by saltbush species with grey foliage. The bed was first constructed in 2016, but due to wet soils, part of this bed was also built up in 2020 and the entire bed covered with sand mulch.

Eucalyptus yalatensis and *Eucalyptus pimpiniana* which are very low-growing species are establishing in this bed. Other species include *Eremophila maculata*, various *Maireana* species and various *Acacia* species.

Eremophila hillii which is a rare but not threatened species is being established in this bed.

South Australian Dryland (SAD)



The South Australian Dryland bed has not been built up and has an organic woodchip mulch. It covers areas such as the Flinders Ranges and some of the desert areas of South Australia .It was set out in 2016.

Species include the magnificent *Brachychiton gregorii* and *Gossypium sturtianum* which is the floral emblem of the Northern Territory, but is also common in South Australia. Various colour forms of *Eremophila oppositifolia* flower in this bed in the winter.

Low growing plants which flower for a long time are *Scaevola humilis* and *Dampiera dysantha*

Eyre York Block (EYB)



Begun in 2016, this bed combines the plant communities from the Eyre Peninsula and the Yorke Peninsula in South Australia. Several National Parks are included in this area including DhillbaGuuranda-Innes National Park at the southern end of the Yorke Peninsula, and the Coffin Bay, Lincoln and Gawler Range National Parks on the Eyre Peninsula.

The bed has been built up and covered with a sand mulch.

There are several forms of the endemic *Correa pulchella* in this bed. *Correa backhouseana* var. *coriacea* which flowers in late summer is also represented. Several forms of *Templetonia retusa* were also planted, but these have proved to be favourite rabbit food. If the rabbits are ever brought under control the *Templetonia* plants should recover.

Several specimens of the critically endangered *Acacia cretacea* are doing well. *Acacia pinguifolia* and *Acacia rhotinocarpa* which are also rare are thriving also.

The genus *Lasiopetalum* is also well represented.

Eremophila (Erem)



The *Eremophila* bed was the last bed in the WASA garden to be established.

It was built up and covered with sand mulch in 2017.

There are many species of *Eremophila* from Western Australia and South Australia represented. Many are growing on their own roots, but some specimens are grafted.

Eremophilas have been chosen to be displayed because they grow particularly well in Melton and are common in the drier parts of Australia especially in South Australia and Western Australia.

Grafted specimens include *Eremophila cuneifolia*, *foliosissima*, *flaccida* and *warnesii*.

There are eleven forms of *Eremophila glabra* in this bed.

Central Beds (Cen)



There are two beds in the middle of the WASA garden. They have not been built up, but do have an organic woodchip mulch.

Several specimens of Western Australian Eucalypts were initially planted here but almost all died after initially growing well. It is surmised that the area has an unusually high water table.

The area has however been perfect for growing kangaroo paws. They appreciate the extra water. The plantings have been extended over the last 2 years and will probably be extended further.

Eucalyptus spathulata which will tolerate poor drainage has been planted to provide some shade in the area.

Acacia aestivalis

Common Name

Location

COO

Description

Erect bushy tree from 2 to 8 m high

Distribution

Western Australia

Features

Long thin foliage and yellow flowers in winter



Acacia alcockii

Common Name

Alcock's Wattle

Location

EYB

Description

Bushy shrub or small tree which grows up to 3 m

Distribution

South Australia

Features

Yellow ball flowers in spring



Acacia anceps

Common Name

Port Lincoln Wattle

Location

EYB

Description

Bushy spreading shrub which grows from 1 to 3 m high

Distribution

South coast of Australia

Features

Our specimens are prostrate. Yellow flowers in spring and summer are followed by red-brown coloured seed-pods.



Acacia aneura

Common Name	Mulga
Location	COO, MUR, NUL
Description	Bushy shrub or tree that has a life-span of over 50 years.
Distribution	All mainland states except Victoria
Features	Bright yellow flowers occur mainly between March and October, but may occur at any time following suitable rainfall.

Acacia aphylla

Common Name	Leafless Rock Wattle
Location	AVW
Description	Spiny erect shrub with leafless stems that have a blue-grey waxy coating.
Distribution	Western Australia
Features	Yellow flowers from August to October.



Acacia araneosa

Common Name	Spidery Wattle, Balcanoona Wattle
Location	SAD
Description	Small, erect tree
Distribution	South Australia
Features	Yellow globular flower heads occur throughout the year.

Acacia argyrophylla

Common Name	Silver Mulga
Location	SAD, EYB
Description	Erect, spreading shrub which reaches up to 3 m in height.
Distribution	South Australia
Features	Silvery green foliage. Yellow flowers bloom from July to November.



Acacia beckleri

Common Name	
Location	SAD
Description	Large shrub which grows to height of 2 m and width of 1.5 m
Distribution	South Australia, New South Wales
Features	Large globular flower heads appear in winter



Acacia binata

Common Name	
Location	EYB, MAL
Description	Dense rounded shrub
Distribution	Western Australia, South Australia
Features	Black seed pods form after flowering

Acacia brachybotrya

Common Name	Grey Mulga, Grey Wattle
Location	NUL
Description	Dense, round, spreading shrub
Distribution	Semi-arid areas of South-eastern Australia.
Features	Clusters of bright yellow flower heads appear from July to October.

Acacia camptoclada

Common Name	
Location	MUR
Description	Low spreading to erect shrub.
Distribution	Western Australia
Features	Flowering occurs from August to October and is followed by coiled seed pods containing shiny black seeds.



Acacia chrysellia

Common Name	
Location	COO
Description	Dense rounded shrub to 3 m high
Distribution	Western Australia
Features	Yellow flowers for a long period



Acacia coolgardiensis

Common Name	Sugar Brother, Spinifex Wattle
Location	COO
Description	Multi-stemmed shrub or tree that grows from 2 m to 7 m high
Distribution	Western Australia
Features	Typical of most <i>Acacia</i> species, it has yellow flowers and green phyllodes.

Acacia cretacea

Common Name

Location EYB

Description Spindly, often single stemmed shrub or small tree

Distribution South Australia

Features Yellow flowers bloom between July and January. Brown seed-pods hold oblong black seeds.



Acacia denticulosa

Common Name Sandpaper Wattle

Location AVW, COO

Description Very drought tolerant shrub with dark green foliage that is rough like sandpaper.

Distribution Western Australia

Features Spectacular cylindrical yellow flower spikes bloom in the spring



Acacia glaucoptera

Common Name Flat Wattle, Clay Wattle

Location AVW

Description Sprawling ornamental shrub

Distribution Western Australia

Features Yellow globular flowers appear from August to December. Our specimen has ornamental purple foliage.



Acacia grasbyi

Common Name	Miniritchie, Red Witchetty
Location	MUR
Description	Shrub or tree growing to height of about 4 m with several twisted main stems.
Distribution	Western Australia
Features	Has red-brown bark which peels in small curly flakes known as “ <i>minniritchi</i> ”. Yellow flowers occur from May to October.

Acacia guinetti

Common Name	Golden Gravel Wattle
Location	GES
Description	Spreading shrub growing up to 2 m high and 2.5 m wide
Distribution	Western Australia
Features	Dense foliage of small grey-green phyllodes and bright yellow flowers that bloom from June to October



Acacia jenniferae

Common Name	Coonavittra Wattle
Location	COO
Description	Erect or spreading shrub, 2 m to 6 m high..
Distribution	Western Australia, South Australia, Northern Territory, New South Wales.
Features	Bright yellow and ball shaped flowers appear from April to July .

Acacia jibberdingensis

Common Name

Location

MAL, COO

Description

Erect slender or spreading shrub or tree which grows up to 3 m high and can spread to 2.5 m

Distribution

Western Australia

Features

Bright yellow perfumed flowers in spikes appear any time of the year



Acacia lasiocalyx

Common Name

Silver Wattle

Location

AVW

Description

Open shrub or tree growing from 2 m to 5 m with ornamental bark

Distribution

Western Australia

Features

Yellow flowers are produced from July to October.



Acacia lasiocarpa var sedifolia

Common Name

Location

Disp, GES

Description

Small shrub which can spread to about 1 m. Bright green foliage.

Distribution

Western Australia

Features

Golden ball-shaped flowers are seen from winter to spring covering the plant.



Acacia maxwellii

Common Name	Prostrate Umbrella Bush
Location	SAD
Description	Low-domed evergreen shrub up to 0.5 m high with 1.5 m spread.
Distribution	Western Australia
Features	Cream to pale yellow coloured flowers.

Acacia menzeli

Common Name	Tallebung Wattle, Menzel's Wattle
Location	SAD
Description	Small to medium shrub with a rounded or spreading habit.
Distribution	South Australia
Features	Masses of fluffy yellow ball shaped flowers appear in spring.

Acacia merinthophora

Common Name	Zig Zag Wattle
Location	AVW, COO
Description	Open shrub with a weeping habit
Distribution	Western Australia
Features	Short, rod-shaped yellow flower clusters occur from May to September and are followed by slender curved seed pods.



Acacia multispicata

Common Name	Dome Wattle
Location	AVW
Description	Medium dome-shaped shrub about 2 m high
Distribution	Western Australia
Features	Yellow flowers occur from March to October

Acacia nigricans

Common Name

Location ESP

Description Bushy spreading shrub which rarely grows higher than 1 m.

Distribution Western Australia

Features Globular flowers are pale yellow and bloom from July to November.

Acacia papyrocarpa

Common Name Western Myall

Location EYB, MUR, NUL

Description Tall shrub to small tree; 3 to 10 m high

Distribution South Australia, Western Australia

Features Golden globular flowerheads appear in spring. Pods are thin and papery.

Acacia pendula

Common Name Weeping Myall

Location SAD, CEN

Description Spreading or erect tree grows up to 12 m high and 5 m wide.

Distribution Queensland, New South Wales, Victoria, South Australia

Features Blue-grey foliage and a weeping habit

Acacia pinguifolia

Common Name Fat-leaved Wattle

Location EYB

Description Dense spreading shrub, 1 to 2 m high and 2 to 3 m wide

Distribution South Australia

Features Round dark yellow flower heads occur between July and October; curved and twisted seed pods are produced between November and January. Foliage is succulent.



Acacia restiacea

Common Name	
Location	AVW, GES
Description	Small, leafless shrub whose branches resemble rushes.
Distribution	Western Australia
Features	Yellow ball-shaped flowers from August to November.



Acacia rhetinocarpa

Common Name	Resin Wattle
Location	SAD, EYB
Description	Erect, rounded shrub with yellowish-brown branches
Distribution	South Australia
Features	Clusters of golden globular flowers bloom in spring.



Acacia sclerophylla

Common Name	Hard-leaf Wattle
Location	EYB
Description	Spreading shrub to 2 m high by 3 m wide with an open habit
Distribution	New South Wales, Victoria, South Australia, Western Australia.
Features	Yellow flowers from August to October are followed by linear to curved seed pods.

Acacia sessilispica

Common Name	
Location	AVW
Description	Dense, rounded shrub which grows to height up to 3 m.
Distribution	Western Australia
Features	Yellow flower spikes in spring; glossy black seeds



Acacia sibirica

Common Name	Bastard Mulga, False Witchetty Bush
Location	MUR
Description	Tree or shrub with several straight to crooked spreading main stems from the base with a dense and spreading crown.
Distribution	Western Australia, South Australia, Northern Territory, Queensland, New South Wales.
Features	Smooth fissured dark grey bark; spikes of small flowers form flat seed pods.

Acacia victoriae

Common Name	Elegant Wattle, Gundabluey, Bramble Wattle
Location	NUL
Description	Shrub or tree with multiple trunks and a large root system.
Distribution	Western Australia, South Australia, Northern Territory, Queensland, New South Wales
Features	Branches are covered in small spines. Clusters of yellow scented flowers occur from August through to December.

Actinodium cunninghamii

Common Name	Swamp Daisy
Location	ESP
Description	Low growing shrub with daisy-like flowers.
Distribution	Western Australia
Features	Pink-red flowers appear in spring



Adenanthos argyreus

Common Name	Little Woolly bush
Location	ESP AVW
Description	Small erect shrub growing to about 1 m.
Distribution	Western Australia
Features	Small pink-red flowers most of the year

Adenanthos cuneatus

Common Name	Coastal Jugflower, Flame Bush
Location	ESP, MAL
Description	Prostrate shrub has a lignotuber
Distribution	Western Australia
Features	The ornamental foliage has pinkish-red, wedge-shaped lobed leaves covered in fine silvery hair. Tiny red flowers bloom all year.



Adenanthos x cunninghamii

Common Name	Woollybush
Location	MAL
Description	Evergreen shrub which may be prostrate or upright in habit.
Distribution	Western Australia
Features	Silvery-grey leaves with red new growth; tiny red flowers in early spring.



Adenanthos dobsonii

Common Name	
Location	ESP,
Description	Rare shrub 1-1.5 m high
Distribution	Western Australia
Features	.Small red flowers for most of the year.

Adenanthos sericeus

Common Name Dwarf Woolly Bush
Location ESP
Description Small evergreen shrub which may grow to 1 m high.
Distribution Western Australia
Features Silver/green woolly soft foliage and tiny pale red flowers in spring.



Allocasuarina eriochlamys

Common Name
Location ESP, COO
Description Dense, erect shrub which grows from between 1 m and 3 m high
Distribution Western Australia
Features Long cylindrical cones



Alyogyne hakeifolia

Common Name Native Hibiscus
Location AVW, MAL, ESP
Description Medium sized, evergreen shrub with needle-like leaves.
Distribution Western Australia, South Australia
Features Flowers, which may be pink or creamy yellow with red centres, bloom in spring and are attractive to nectar eating birds and insects.



Alyogyne huegelii

Common Name

Location SAD, GES

Description Medium, open shrub which is closely related to Hibiscus

Distribution South Australia, Western Australia

Features Large flowers have five slightly overlapping petals; bright green leaves.



Alyogyne pinoniana

Common Name Native Hibiscus, Sand Hibiscus

Location SAD

Description Hardy, drought tolerant, sprawling shrub that grows up to 3 m high

Distribution Western Australia, South Australia, Northern Territory

Features Blue-mauve flowers occur over a long flowering period from autumn to spring; leaves and stems are covered with hairs.

Alyogyne sp Hutt River

Common Name

Location AVW

Description Dense low shrub

Distribution Western Australia

Features Profuse purple flowers which resemble hibiscus occur in spring



Anigozanthos cv

Common Name	Kangaroo Paw
Location	Cen
Description	Rhizomatous, perennial plant grows up to 1 m high
Distribution	Western Australia
Features	Small strappy leaves with branching flowers which appear in spring and early summer. These cultivars have red, orange or yellow flowers



Anigozanthos rufus

Common Name	Red Kangaroo Paw
Location	ESP
Description	Rhizomatous, perennial plant grows up to 1 m high
Distribution	Western Australia
Features	Small strappy leaves with red branching flowers which appear in spring and early summer.



Anthocercis littorea

Common Name	Yellow Tailflower
Location	GES
Description	Erect shrub 1-3 m high
Distribution	Western Australia
Features	.Distinctive yellow flowers

Astartea fascicularis

Common Name	Recherche Astartea, False Baeckea
Location	ESP
Description	Medium shrub of the tea tree family may have an upright or spreading habit.
Distribution	Western Australia
Features	Clusters of small narrow leaves; small, pink flowers bloom in spring and autumn.

Babingtonia camphorosmae

Common Name	Kurren
Location	GES
Description	Semi-prostrate shrub to 0.5 m high
Distribution	Western Australia
Features	Masses of pink flowers over a long period in winter or spring.



Baeckea subcuneata

Common Name	
Location	GES
Description	Small shrub about 1 m high
Distribution	Western Australia
Features	Small pink flowers in spring

Banksia ashbyi

Common Name	Ashby's Banksia, Orange Banksia
Location	GES
Description	Shrub about 1.5 m high.
Distribution	Western Australia
Features	Toothed leaves. Cylindrical flower spikes occur at the end of branches and are orange-golden in colour.



Banksia coccinea

Common Name	Scarlet Banksia, Waratah Banksia, Albany Banksia
Location	ESP
Description	Non-lignotuberous, small tree or shrub which grows to height of between 1 and 4 m
Distribution	Western Australia
Features	The bright orange-red flowers are seen in late winter through to early summer.



Banksia drummondii

Common Name	Drummond's Dryandra
Location	Display
Description	Dense, non-lignotuberous shrub with a prostrate to mounding habit; can reach 1 m high.
Distribution	Western Australia
Features	Yellow-orange flowers are typically buried deep within the plant.



Banksia dryandroides

Common Name	Dryandra-leaved Banksia
Location	ESP
Description	Multi-branched, spreading shrub up to 1m high with stems covered in fine reddish hairs
Distribution	Western Australia
Features	Serrated leaves are dark green on top and white underneath; small cylindrical flowers are pale yellow-brown in colour.

Banksia formosa

Common Name	Showy Dryandra
Location	AVW
Description	Medium to large upright shrub grows from 1 to 3 m in height; saw-toothed leaves are grey on the undersides.
Distribution	Western Australia
Features	Clusters of yellow-orange flowers in spring may attract nectar-loving birds.



Banksia gardneri

Common Name	Prostrate Banksia
Location	ESP
Description	Slow growing prostrate woody shrub
Distribution	Western Australia
Features	Furry, rusty-brown flower spikes are cylindrical with cream styles. Flowering is in late spring.



Banksia grandis

Common Name	Bull Banksia, Giant Banksia, Mangite
Location	AVW
Description	Medium-sized tree grows up to 10m high and develops a lignotuber..
Distribution	Western Australia
Features	Large cylindrical flower spikes may be 40 cm long by 8 cm in diameter and pale yellow in colour.



Banksia lemanniana

Common Name	Yellow Lantern Banksia, Lemann's Banksia
Location	ESP
Description	Shrub from 1.5 m to 5 m in height
Distribution	Western Australia
Features	Lemon coloured flower spikes hang down unlike many other banksias; leaves are elliptical with toothed edges.



Banksia meisneri

Common Name	Meisner's banksia
Location	ESP
Description	Small shrub about 0.5 m high
Distribution	Western Australia
Features	Pinkish flowers in winter and spring



Banksia mucronulata

Common Name	Swordfish Dryandra, Tangled Dryandra
Location	AVW
Description	Non-lignotuberous shrub with an erect stem and woolly branches, growing up to 2.5 m high.
Distribution	Western Australia
Features	Leaves are divided into saw-like segments about 20 cm long; large terminal yellow flower heads occur in summer.

Banksia nivea

Common Name	Honeypot Dryandra
Location	MAL
Description	Prostrate shrub with a creeping habit.
Distribution	Western Australia
Features	Bronze-orange flowers occur on terminal heads during winter and spring



Banksia nobilis

Common Name	Golden Dryandra, Great Dryandra
Location	GES
Description	Medium shrub with pinnate leaves and golden flowers.
Distribution	Western Australia
Features	Outstanding foliage plant with many golden flowers for a long time over winter and spring. Frost and drought tolerant.



Banksia nutans

Common Name	Nodding Banksia
Location	ESP
Description	Small, bushy shrub to 1 m high
Distribution	Western Australia
Features	Narrow linear leaves up to 20 mm long; brownish, pendulous flowers are 4 cm to 7 cm long.



Banksia obtusa

(

Common Name	Shining Honeypot
Location	MAL
Description	Prostrate, non-lignotuberous shrub with horizontal stems that spread to about 2 m
Distribution	Western Australia
Features	Yellow flower heads occur at the ends of the branches in winter and spring; leaves are long and narrow with triangular “teeth” along each side.



Banksia ornata

Common Name	Desert banksia
Location	EYB, SAD
Description	Rounded shrub up to 3m high with wedge shaped leaves with serrated edges.
Distribution	South Australia, Victoria
Features	Yellow-bronze coloured flowers are cylindrical and occur in winter and spring; attracts honey-eating birds.



Banksia polycephala

Common Name	Many Headed Dryandra
Location	AVW
Description	Erect, non-lignotuberous shrub may reach 3 m in height;.
Distribution	Western Australia
Features	Flowers are cream-yellow and 4 cm in diameter. The leaves are narrow and serrated.



Banksia praemorsa

Common Name	Cut Leaf Banksia
Location	ESP
Description	Non-lignotuberous shrub with rough, flaky bark; grows up to 5 m high and 3 m wide
Distribution	Western Australia
Features	Red or yellow flowers attract bees and nectar eating birds. Flowering from winter through to summer.



Banksia sphaerocarpa

Common Name	Fox Banksia, Round-fruit Banksia
Location	GES
Description	Lignotuberous shrub grows from 1 m to 2 m in height and has thin leaves.
Distribution	Western Australia
Features	Brownish-yellow flower spikes are globular or oval in shape and occur from January to July.



Banksia tricuspis

Common Name	Pine Banksia, Lesueur Banksia
Location	GES
Description	Fire-tolerant shrub or small tree growing to height of 4m with grey, wrinkled bark.
Distribution	Western Australia
Features	Cylindrical spikes of golden flowers appear from March to July. .



Banksia violacea

Common Name Violet Banksia
Location ESP
Description Small shrub usually 1 m or less
Distribution Western Australia
Features Unusual violet-purple flowers and narrow leaves



Beaufortia cyrtodonta

Common Name Stirling Range Bottlebrush
Location MUR, ESP
Description Compact shrub growing to height up to 1.5 m.
Distribution Western Australia
Features Red flowers occur at the end of branches from winter through to summer.



Beaufortia orbifolia

Common Name Ravensthorpe Bottlebrush
Location COO, Display
Description Erect or spreading shrub which grows from 1 m to 3 m high; leaves are arranged in alternate pairs.
Distribution Western Australia
Features Flowers are red and green and arranged in bottlebrush-like spikes.



Beaufortia squarrosa

Common Name	Sand Bottlebrush
Location	AVW
Description	Small to medium shrub about 2 m high, with small, oval-shaped leaves.
Distribution	Western Australia
Features	Flowers may be red, yellow or orange, and appear at the ends of branches. The following fruits form woody capsules, 4 to 6mm long.

Billardiera cymosa

Common Name	Sweet Apple Berry
Location	EYB
Description	Small shrub or climber with long narrow leaves that are borne directly from the plant's stem
Distribution	South Australia, Victoria
Features	Flowers are tubular with flared tips, and are followed by sausage shaped berries which become dark purple when ripe.

Billardiera lehmanniana

Common Name	Kurup
Location	AVW
Description	Shrub or climber – grows to about 0.5 m, but if able to climb it can reach up to 1.5 m in height.
Distribution	Western Australia
Features	Flowering occurs mainly from September to November, with masses of white or pale blue flowers.



Boronia clavata

Common Name	Bremer Boronia
Location	ESP
Description	Upright shrub that grow up to 2 m high
Distribution	Western Australia
Features	Pale yellowish green flowers bloom from August to October.

Boronia crenulata

Common Name	Aniseed Boronia
Location	AVW, MAL
Description	Small, evergreen, perennial shrub with aromatic foliage
Distribution	Western Australia
Features	Masses of rosy pink star-shaped flowers appear from late winter into spring.



Boronia denticulata

Common Name	
Location	ESP, GES
Description	Erect shrub found growing on floodplains and swamps.
Distribution	Western Australia
Features	Lime green, scented leaves are long and narrow; pink flowers appear on the ends of the branches.



Brachychiton gregorii

Common Name	Desert Kurrajong
Location	SAD,
Description	Small, hardy tree which grows to between 3 and 12 metres high, and is found in arid areas.
Distribution	South Australia, Northern Territory, Western Australia
Features	Evergreen leaves are 20 cm long; pale yellow flowers are produced between October and December.



Calamphoreus inflatus

Common Name	
Location	COO
Description	Small shrub to about 1 m high
Distribution	Western Australia
Features	Masses of blue -purple flowers



Callistemon phoeniceus

Common Name	Scarlet Bottlebrush, Lesser Bottlebrush
Location	MAL, COO
Description	Large shrub or small tree growing to 6 m high
Distribution	Western Australia
Features	Flowering in November and December; scarlet flowers contrast with the blue-green leaves.



Callistemon teretifolius

Common Name	Flinders Ranges Bottlebrush, Needle Bottlebrush
Location	EYB
Description	Medium-sized shrub with needle-like leaves, hard fissured bark and rigid branches.
Distribution	South Australia, Western Australia
Features	Bright red flowers are arranged in spikes on the ends of branches



Callitris canescens

Common Name	Morrison's Cypress Pine, Scrubby Cypress Pine
Location	EYB
Description	Native conifer in the form of a shrub or small tree that may grow up to 6 m tall but is usually much smaller.
Distribution	Western Australia, South Australia
Features	Grey-green cones are oval in shape and about 20 mm in diameter.

Callitris verrucosa

Common Name	Mallee Pine, Sandhill Pine, Scrub Cypress Pine
Location	SAD
Description	Small tree or shrub, usually multi-stemmed with erect branches
Distribution	South Australia, Victoria, New South Wales
Features	Cones have a warty appearance.



Calothamnus chrysantherus

Common Name Golden Net Bush, Claw Flower
Location GES
Description Compact, multi-branched spreading shrub with needle-shaped leaves and corky bark.
Distribution Western Australia
Features Red claw shaped flowers with golden anthers contain nectar and attract honey-eating birds.



Calothamnus gilesii

Common Name Net Bush
Location AVW
Description Erect, spreading shrub found on sandplains and stony ridges.
Distribution Western Australia
Features Clusters of red “claw” flowers occur throughout the year; fine pine like foliage with sharp tips.

Calothamnus gracilis

Common Name
Location ESP
Description Spreading shrub with upright foliage.
Distribution Western Australia
Features Clusters of red flowers may bloom over long periods and are arranged mostly on one side of the stems.

Calothamnus quadrifidus

Common Name One-sided Bottlebrush, Common Net Bush
Location AVW, COO
Description Upright, compact or spreading, heavily-branched shrub.
Distribution Western Australia
Features The red brush-like flowers appear on one side of the stem, and provide contrast to the grey-green, pine-like foliage.



Calytrix depressa

Common Name

Location COO, MAL

Description Small shrub to about 1m high; either a compact habit or spreading to around 2 m

Distribution Western Australia

Features Numerous star-shaped flowers, which may be yellow or purple with a yellow centre, cover the plant in summer.



Calytrix eneabensis

Common Name

Location GES

Description Small shrub to 1 m high

Distribution Western Australia

Features Masses of bright pink-purple flowers in winter and spring



Calytrix flavescens

Common Name Summer Star Flower

Location AVW ESP

Description Small shrub less than 1 m high

Distribution Western Australia

Features Yellow flowers in summer

Calytrix fraseri

Common Name Star Flower

Location GES

Description Small evergreen shrub which requires good drainage, and is drought resistant.

Distribution Western Australia

Features Lovely starry pink-purple flowers with contrasting stamens in spring.



Carpobrotus modestus

Common Name	Inland Pigface
Location	EYB
Description	Perennial succulent with trailing stems which may root at the nodes.
Distribution	Western Australia, South Australia, Victoria, New South Wales.
Features	Triangular leaves many be tinged with pink. Flowers open to about 2 cm in diameter and have purple petals which merge to white at their bases.



Chamelaucium ciliatum

Common Name	Stirling Wax
Location	ESP
Description	Small, erect or spreading shrub to about 1 m high.
Distribution	Western Australia
Features	Soft grey-green aromatic foliage with pink buds and white flowers.



Chamelaucium drummondii

Common Name	
Location	AVW, ESP
Description	Small, erect shrub up to 1 m high
Distribution	Western Australia
Features	Clusters of flowers which are white before changing to pink.

Chamelaucium megalopetalum

Common Name	Large Waxflower
Location	GES
Description	Upright shrub growing to 1.5 m high
Distribution	Western Australia
Features	Light green foliage and white flowers which change to red.



Chamelaucium uncinatum

Common Name	Geraldton Wax
Location	GES, AVW, Disp
Description	Medium to large shrub, reaching up to 3 m high by spread of 4 m.
Distribution	Western Australia
Features	Narrow leaves are aromatic when crushed. Pink flowers bloom from winter through to summer.



Chorizema cordatum

Common Name	Heart-leaf Flame Pea
Location	GES
Description	Straggly shrub up to 1.5 m high
Distribution	Western Australia
Features	Brightly coloured pea flowers appear from July to October.



Commersonia densiflora

Common Name	
Location	AVW
Description	Shrub with hairy stems.
Distribution	Western Australia
Features	Flowers cream or white

Commersonia magniflora

Common Name	Large-flowered Commersonia
Location	AVW, COO, SAD
Description	Shrub growing to about 2 m high
Distribution	Western Australia, South Australia
Features	Foliage is covered in velvety hairs; prominent pink flowers occur in spring.



Conospermum caeruleum

Common Name	Blue Brother, Blue Smoke Bush
Location	ESP
Description	Prostrate or straggly shrub
Distribution	Western Australia
Features	Masses of blue flowers in winter and spring.



Conospermum stoechadis

Common Name	Common Smokebush, Smoke Grass
Location	AVW
Description	Erect, multi-stemmed shrub with a lignotuber.
Distribution	Western Australia
Features	White-grey flowers appear above the green foliage in spring to summer.

Conospermum triplinervium

Common Name	Tree Smoke Bush
Location	ESP, GES
Description	Tall, open shrub which grows to height of 0.5 to 4.5 m
Distribution	Western Australia
Features	White “hairy” flowers bloom between August and January, and are attractive to bees and butterflies.



Conostylis aculeata

Common Name	Prickly Conostylis
Location	AVW, GES
Description	Low-growing, tufted plant growing up to 60cm high
Distribution	Western Australia
Features	Yellow flowers bloom from spring through to summer; enjoys well-drained soils.

Conostylis bealiana

Common Name	Cottonheads
Location	ESP
Description	Tufted, grass-like perennial.
Distribution	Western Australia
Features	Bright yellow flowers are tubular in shape and appear in late winter to spring.



Conostylis candicans

Common Name	Silver Sunrise
Location	GES
Description	Clumping ground cover
Distribution	Western Australia
Features	Yellow flowers appear on stalks which emerge from the silver grass-like leaves.



Conostylis juncea

Common Name	Rush Cottonheads
Location	GES, AVW
Description	Rhizomatous, tufted grass-like perennial.
Distribution	Western Australia
Features	Yellow-green flowers have a short stalk and bloom from July to September.

Conostylis setigera

Common Name	Bristly Cottonhead
Location	AVW, GES
Description	Rhizomatous, tufted perennial.
Distribution	Western Australia
Features	Bright yellow flowers bloom from August to November.



Cooperookia georgei

Common Name	
Location	Display ESP
Description	Slender shrub growing up to 1.5 m
Distribution	Western Australia
Features	Mauve flowers in July through to November.

Correa alba var pannosa

Common Name Velvet White Correa
Location EYB
Description Prostrate, spreading groundcover with hairs on surface of foliage.
Distribution South Australia, Victoria
Features White flowers often tinged with pink are star-shaped, unlike the tubular form of other correas.



Correa backhouseana var coriacea

Common Name
Location EYB
Description Small shrub to 0.5 m ,
Distribution South Australia
Features Flowers are red and yellow in autumn and winter



Correa pulchella

Common Name	Salmon Correa, Australian Fuchsia
Location	EYB
Description	Small evergreen shrub up to 1 m high and 2 m wide
Distribution	South Australia
Features	Red-orange, bell-shaped flowers have yellow anthers and are attractive to honey eating birds.



Dampiera alata

Common Name	Wing-stem Dampiera
Location	Display
Description	Erect, low-growing perennial requires good drainage; tolerant of frost and dry periods.
Distribution	Western Australia
Features	Masses of deep blue to purple flowers with yellow centres bloom from winter through to summer.

Dampiera diversifolia

Common Name	
Location	Display
Description	Prostrate perennial with short leafy branches.
Distribution	Western Australia
Features	Bright blue to purple flowers with contrasting pale centres in spring and summer.



Dampiera dysantha

Common Name	Shrubby Dampiera
Location	EYB SAD
Description	Small shrub growing to 70 cm high
Distribution	South Australia, Victoria
Features	Blue flowers covered on the outside with hairs, appear in early spring



Dampiera fasciculata

Common Name	Bundled-leaf Dampiera
Location	MAL
Description	Small perennial shrub up to 0.5 m
Distribution	Western Australia
Features	Deep blue flowers usually in spring

Dampiera linearis

Common Name	Common Dampiera, Wedge-leaved Dampiera
Location	AVW
Description	Spreading perennial with a suckering habit; grows up to 60cm high
Distribution	Western Australia
Features	Leaves are leathery in texture and vary in shape; light blue to purple flowers have a yellow or white centre and bloom from July to December.



Dampiera rosmarinifolia

Common Name	Wild Rosemary
Location	EYB
Description	Undershrub to 60 cm high. .Suckering
Distribution	South Australia Victoria
Features	Brilliant blue or purple flowers mostly in spring



Dampiera salahae

Common Name	
Location	GES
Description	Perennial herb growing to 50 cm high
Distribution	Western Australia
Features	Dark green leaves and blue flowers from June to November.



Dampiera stenophylla

Common Name	
Location	MUR
Description	Small suckering perennial to 50 cm high
Distribution	Western Australia
Features	Greyish foliage and masses of blue flowers from July to October.

Dampiera teres

Common Name	Terete-leaved Dampiera
Location	Display, AVW
Description	Erect, multi-branched shrub up to 60 cm high.
Distribution	Western Australia
Features	Mauve-blue flowers from August to November provide contrast to the greyish foliage.



Darwinia chapmaniana

Common Name	Chapman's Bell
Location	GES
Description	Low, spreading shrub, growing from 30 to 60 cm high
Distribution	Western Australia
Features	Grey-green leaves are hairy; flower heads may be erect or nodding and carry 10 small red tubular flowers.



Darwinia hypericifolia

Common Name	
Location	ESP
Description	Erect and straggly shrub growing to about 1 m high
Distribution	Western Australia
Features	Red bell-shaped flowers may appear from June through to November.



Darwinia oldfieldii

Common Name

Location GES

Description Small shrub with an erect and spreading habit, growing to height of 1 m.

Distribution Western Australia

Features Reddish-pink flowers bloom from August to November.

Darwinia pinifolia

Common Name

Location GES

Description Spreading to prostrate perennial shrub

Distribution Western Australia

Features Reddish-purple flowers from September to December.



Darwinia sp. affin. oldfieldii

Common Name

Location AVW

Description Small shrub with a spreading habit

Distribution Western Australia

Features Reddish-pink flowers bloom from August to November.



Dasymalla terminalis

Common Name Native Foxglove

Location AVW

Description Erect shrub growing to between 0.5 m and 1 m high.

Distribution Western Australia

Features Branches and leaves are covered with grey, woolly hairs; flowers are pale to deep pinkish-purple.



Daviesia benthamii

Common Name

Location AVW, ESP

Description Dense, multi-stemmed shrub with prickly foliage, usually less than 1 m high

Distribution Western Australia, South Australia, Victoria

Features Flowers are orange/yellow and red/brown and bloom from July to October.



Daviesia horrida

Common Name Prickly Bitter-pea, Thorny Pea

Location ESP, GES

Description Prickly shrub that varies from 0.5 m to 2 m in height.

Distribution Western Australia

Features Bright orange pea flowers occur in clusters from July to November.



Daviesia longifolia

Common Name

Location AVW, MAL

Description Hardy, spreading shrub up to 1 m high with spread of 2 m.

Distribution Western Australia

Features Yellow and red/brown pea flowers appear in spring.

Dicrastylis globiflora

Common Name

Location AVW

Description Much-branched shrub only 30 cm high

Distribution Western Australia

Features White flowers from September to December or January to April.



Diplolaena angustifolia

Common Name	Yanchep Rose
Location	AVW GES
Description	Small shrub usually about 1 m high and wide
Distribution	Western Australia
Features	Pendant orange flowers in winter and early spring



Diplolaena grandiflora

Common Name	Wild Rose, Tamala Rose
Location	Disp
Description	Shrub with an erect habit, growing up to 3 m high, with dark green foliage that has a hairy texture on the underside.
Distribution	Western Australia
Features	Grafted. The red to orange flowers are produced from autumn through to spring.



Diplolaena sp. Jurien Bay

Common Name	
Location	GES
Description	Small compact shrub about 1 m high
Distribution	Western Australia
Features	Grafted. Pendant flowers are produced for a long time



Diplolaena mollis

Common Name

Location GES Disp

Description Medium shrub to 1.5 m

Distribution Western Australia

Features Red flowers often present



Eremaea asterocarpa

Common Name

Location GES

Description Shrub with a variable form – sometimes low and spreading, sometimes erect and twisted.

Distribution Western Australia

Features Leaves are broad and flat; orange flowers appear from July to November.

Eremaea beaufortioides

Common Name

Location Display, MUR

Description Erect, spreading shrub which grows from 0.5 m to 2 m high.

Distribution Western Australia

Features Clusters of orange flowers bloom in spring.



Eremaea hadra

Common Name

Location GES

Description Small shrub up to 1 m tall, with thin prickly leaves.

Distribution Western Australia

Features Purple flowers occur in groups of 2 to 9 on the ends of branches.

Eremaea purpurea

Common Name

Location GES

Description Erect evergreen shrub with small hairy leaves, growing to height of 1 m.

Distribution Western Australia

Features Pink-purple flowers bloom from December to January, and are followed by woody, cup-shaped capsules which contain the seeds.



Eremophila abietina

Common Name Spotted Poverty Bush

Location MUR EREM

Description Upright, compact shrub up to 2 m high and 2 m wide, with distinctive bluish-green sticky leaves.

Distribution Western Australia

Features Pale purple spotted flowers from late winter to early summer.



Eremophila abietina* subsp *ciliata

Common Name Spotted Poverty Bush

Location Erem

Description Erect, sticky shrub up to 1.5 m high; the leaves are flattened with hairs along the edges.

Distribution Western Australia

Features The sepals are cream to red in colour – the tubular petals are bluish green to pale purple with purple spots. Flowering occurs between June and October.

Eremophila adenotricha

Common Name	Glandular-haired Eremophila
Location	Erem
Description	Compact shrub 1.5 m high and 1 m wide, with sticky aromatic leaves.
Distribution	Western Australia
Features	Tubular flowers appear in various shades of purple and have spots inside the tube.



Eremophila alternifolia

Common Name	Narrow-leaved Poverty Bush, Narrow-leaved Emu Bush
Location	EYB, SAD
Description	Small to medium shrub growing to 3 m high, with linear, sticky leaves
Distribution	Western Australia, South Australia, Northern Territory, New South Wales
Features	Red-pink tubular flowers occur in spring.



Eremophila aureivisca

Common Name	Rason Poverty Bush
Location	Erem
Description	Compact shrub, 1 m high and 1 m wide, with narrow sticky shiny leaves.
Distribution	Western Australia
Features	Masses of purple flowers occur from late winter to late spring.



Eremophila barbata

Common Name	Blue Range Emu Bush
Location	Erem, EYB
Description	Spreading shrub up to 1 m high and 3 m wide
Distribution	South Australia
Features	The tubular flowers are pale purple and smooth on the outside whilst covered with long soft hairs on the inside.

Eremophila battii

Common Name	Batt's Poverty Bush
Location	Erem
Description	Low, spreading shrub with hairy stems and leaves; only 0.5 m high.
Distribution	Western Australia, South Australia, Northern Territory
Features	The flowers are tubular in shape and purple in colour; petals are hairy on the outside but mainly smooth on the spotted inside.



Eremophila bowmanii

Common Name	Silver Turkey Bush, Bowman's Poverty Bush, Flannel Bush
Location	Erem
Description	Upright shrub with narrow, grey, matted hairy leaves.
Distribution	New South Wales, Queensland
Features	Pale purple, tube shaped flowers are spotted inside and bloom mainly in spring.

Eremophila brevifolia [

Common Name	Spotted Eremophila
Location	Erem
Description	Erect, spindly shrub which grow up to 2 m high.
Distribution	Western Australia
Features	Leaves are sticky and serrated; white to pink tubular flowers appear from July to September.

Eremophila buirchellii

Common Name

Location Erem

Description Erect shrub

Distribution Western Australia

Features Whole plant covered in grey hairs. Pink flowers

Eremophila calorhabdos

Common Name Red Rod Emu Bush, Spiked Eremophila

Location Erem

Description Erect spindly shrub up to 4 m tall with distinctive rod-like branches which may be covered with short hairs.

Distribution Western Australia

Features Leaves are crowded on stems; masses of red, tubular flowers occur mostly from October to December.



Eremophila clarkei

Common Name Turpentine Bush

Location MUR

Description Erect shrub with smooth but sticky branches.

Distribution Western Australia, South Australia, Northern Territory

Features Petal tubes may be white, pink, mauve or purple.



Eremophila compacta

Common Name Compact Poverty Bush

Location Erem

Description Erect shrub with hairy, grey leaves, growing up to 2 m high.

Distribution Western Australia

Features The petals of the tube-shaped flowers are purple on the outside while the inner surface of the petals is white and hairy.



Eremophila cuneifolia

Common Name	Pinyuru
Location	Erem
Description	Small spreading shrub with wedge-shaped leaves.
Distribution	Western Australia
Features	Masses of pink-purple tubular flowers bloom in spring



Eremophila decipiens

Common Name	Slender Fuchsia Bush
Location	NUL
Description	Hardy, sprawling shrub growing up to 1 m high and 1 m wide.
Distribution	Western Australia, South Australia
Features	Lance-shaped leaves are slightly sticky due to the presence of resin; red-yellow-orange flowers occur in February and March or May to December.



Eremophila delisseri

Common Name	
Location	Erem
Description	Small shrub about 0.5 m high with erect spreading branches that are covered with whitish hairs.
Distribution	Nullarbor Plain in South Australia
Features	Masses of pale purple flowers appear in spring.

Eremophila dempsteri

Location	MUR
Description	Erect shrub with upright stems and short hooked leaves.
Distribution	Western Australia
Features	The hairy, pale purple flowers lack spots and bloom from July to October.



Eremophila densifolia

Common Name	
Location	Erem
Description	Prostrate shrub spreading out to 1 m and height of 0.5 m
Distribution	Western Australia
Features	Leaves are narrow and closely spaced with serrated edges; purple, tubular flowers are clustered near to the ends of branches.



Eremophila denticulata* subsp *trisulcata

Common Name	
Location	Erem
Description	Erect shrub which may reach 2 m in height
Distribution	Esperance area of Western Australia
Features	Flowers vary in colour from orange to pink and red; flowering time is variable and dependent on local rainfall.



Eremophila drummondii

Common Name	Drummond's Eremophila
Location	MUR
Description	Bushy, erect or spreading shrub with sticky, shiny leaves and branches.
Distribution	Western Australia
Features	Flowering occurs mostly in August and September; tube-shaped flowers are blue-purple on the outside and white inside the tube.



Eremophila duttonii

Common Name	
Location	Erem
Description	Large shrub or small tree between 1 m and 3.5 m high
Distribution	Western Australia, South Australia, Northern Territory, New South Wales, Queensland
Features	Narrow, sticky leaves are up to 45 mm long; tubular flowers are red on the upper surface, yellow-green underneath, and about 35 mm long.



Eremophila eriocalyx

Common Name	
Location	Erem, GES, MUR
Description	An erect, spindly shrub which may reach 3m high, with lance-shaped, hairy leaves.
Distribution	Western Australia
Features	Flowers are cream or mauve, about 30 mm long, and tubular in shape.



Eremophila flaccida

Common Name

Location Erem

Description A spreading shrub up to 4 m wide and 1 m tall.

Distribution Western Australia

Features Branches and leaves are sticky and shiny; from June to September, reddish-purple flowers appear and are followed by oval shaped fruits with a pointed end.



Eremophila foliosissima

Common Name

Location Erem

Description Small shrub to 1 m high

Distribution Western Australia

Features Blue-purple flowers most of the year



Eremophila galeata

Common Name

Location Erem

Description Large shrub 3 m high and wide

Distribution Western Australia

Features Leaves are shiny and sticky. Flowers are cream and brown

Eremophila georgei

Common Name

Location Erem

Description Small shrub usually about 1 m high.

Distribution Western Australia

Features Leaves have serrated edges and flowers may be mauve, purple or pink on the outside and white inside.



Eremophila gibbifolia

Common Name	Coccid Emu Bush
Location	EYB
Description	Erect or spreading shrub rarely growing higher than 0.9 m.
Distribution	South Australia, Victoria
Features	Small fleshy leaves and lilac-purple flowers which are spotted on the inside.

Eremophila gilesii

Common Names	Charleville Turkey Bush
Location	Erem, MUR
Description	Compact shrub to 1 m high
Distribution	Western Australia, South Australia, Northern Territory, New South Wales.
Features	Tubular flowers are white-lilac and occur from March to November.



Eremophila glabra

Common Name	Tar Bush
Location	Erem, EYB, NUL
Description	Vary variable species with several subspecies. May be a shrub to 1 m high or a groundcover
Distribution	All mainland states of Australia
Features	Tubular flowers may be red, orange or yellow. Foliage may be grey or green



Eremophila glabra* subsp *albicans

Common Name	Emu Bush
Location	Erem
Description	Straggly, prostrate shrub growing up to 0.5m high but spreading out to 2 m; the elliptical leaves appear grey due to a covering of tiny hairs.
Distribution	Western Australia
Features	The tubular flowers are dull yellow, orange or red and are present from May to January.

Eremophila glabra* - *Yorke Peninsula

Common Name	Emu Bush
Location	EYB
Description	Groundcover with bright green leaves
Distribution	South Australia
Features	Orange flowers

Eremophila glandulifera

Common Name	
Location	Erem
Description	Small erect shrub.
Distribution	Western Australia
Features	Tubular flowers are hairy on both the inside and outside, and are pink to red in colour.



Eremophila granitica

Common Names	Granite Poverty Bush, Thin-leaved Poverty Bush
Location	Erem, MUR
Description	Spreading shrub growing up to 1.5 m high and wide
Distribution	Western Australia
Features	Flowers are tubular and coloured pink. Foliage is fine and green

Eremophila hillii

Common Name	Hill's Emu Bush
Location	NUL
Description	Compact shrub that usually about 0.5 m high
Distribution	Western Australia
Features	Flowers are red or yellow and bloom from July to September.



Eremophila longifolia x scoparia

Common Name	
Location	COO
Description	Rounded shrub with drooping branches and narrow, grey-green leaves.
Distribution	
Features	Pink-red tubular flowers bloom in spring and summer.

Eremophila hygrophana

Common Name	Blue Emu Bush
Location	Erem
Description	Erect, many-branched shrub which grows up to 1 m.
Distribution	Western Australia, South Australia
Features	The petal tubes are purple on the outside and a paler purple on the inside. Foliage is grey and furry.



Eremophila ionantha

Common Name

Location MUR

Description Erect, multi-branched shrub growing up to 2 m in height.

Distribution Western Australia

Features Branches are sticky due to presence of resin; tubular flowers are pale lilac in colour and bloom from September to February.

Eremophila laanii

Common Name

Location Erem, MUR

Description Medium to tall shrub that may reach 4 m in height.

Distribution Western Australia

Features Clusters of tubular flowers appear at the ends of the branches. Flowers may be pink or white.



Eremophila lachnocalyx

Common Name	Woolly-sepaled Eremophila
Location	Erem
Description	Erect shrub with many tangled branches which grows up to 1.5 m high.
Distribution	Western Australia
Features	Sepals have a dense covering of woolly hairs. Lilac coloured flowers occur from June to September.



Eremophila latrobei

Common Names	Crimson Turkey Bush, Native Fuschia, Latrobe's Emu Bush, Warty Fuschia Bush, Georgina Poison Bush.
Location	Erem, SAD
Description	Rounded shrub which grows up to 1.5 m high
Distribution	Western Australia, South Australia, Northern Territory, Queensland, New South Wales.
Features	Red to purple-red or white flowers occur from March through to October.



Eremophila lehmanniana

Common Name

Location GES

Description Erect shrub which grows to between 0.5 m and 2.5 m high.

Distribution Western Australia

Features Flowers range in colour from white-pink-blue-purple and bloom from July to November.

Eremophila lucida

Common Name Shining Poverty Bush

Location Erem

Description Fast-growing, but short-lived, shrub.

Distribution Western Australia

Features Tubular flowers are either red with dark red spots inside the tube, or white with no spots. Leaves are large and sticky



Eremophila macdonnellii

Common Name MacDonnell's Desert Fuschia

Location Erem

Description Rounded shrub which grows to 1 m high and 1.5 m wide.

Distribution Western Australia, Northern Territory, South Australia, Queensland, New South Wales

Features The large, purple flowers have a flattened tubular shape, and occur in winter and spring on long stalks.



Eremophila mackinlayi

Common Name	Desert Pride
Location	MUR
Description	Dense medium shrub to height of 1.5 m.
Distribution	Western Australia
Features	Flowers are blue to purple on the outside and white inside. Foliage is grey and hairy.



Eremophila macmillaniana

Common Name	Grey Turpentine Bush
Location	MUR
Description	Large shrub or small tree with grey foliage
Distribution	Western Australia
Features	Grey foliage, pinkish spotted flowers with brightly coloured sepals

Eremophila maculata

Common Name	Spotted Emu Bush
Location	Erem, NUL, SAD
Description	Spreading, densely branched shrub usually over 1 m high
Distribution	Western Australia, Northern Territory, South Australia, Queensland, New South Wales
Features	Variable leaf shape and flower colour; inside of flower is often spotted.



Eremophila maculata* subsp *brevifolia

Common Name	Native Fuschia
Location	SAD
Description	Spreading, densely branched shrub usually growing over 1m high
Distribution	Western Australia, Northern Territory, South Australia, Queensland, New South Wales
Features	Leaves are short (less than 10 mm); variety of flower colour; tolerates extended dry periods.



Eremophila miniata

Common Name	Kopi Poverty Bush
Location	Erem
Description	Erect shrub or small tree with height up to 5 m.
Distribution	Western Australia
Features	The colours of the flowers range from cream, yellow, orange and pink. The petal tubes and lobes are hairy on both the inside and outside.

Eremophila mirabilis

Common Name	
Location	Erem, GES, MUR
Description	Erect, medium-sized shrub growing up to 1.5 m high.
Distribution	Western Australia
Features	Sepals are reddish and tubular flowers are pale yellow with red spots on the outside. Foliage is grey and warty.



Eremophila muelleriana

Common Name	Round-leaved Eremophila
Location	Display
Description	Erect, open shrub. Grows to a height of between 0.3 and 1 m.
Distribution	Western Australia
Features	The leaves are egg-shaped to almost circular, and purple flowers are borne on straight, hairy stalks.



Eremophila nivea

Common Name	Silky Eremophila
Location	AVW, Erem
Description	Small erect shrub growing up to 1 m high.
Distribution	Western Australia
Features	Mauve or white flowers which are tube-shaped and 20 mm long, bloom from winter through to summer. Greyish hairs on the branches and leaves give the plant a silvery-grey appearance



Eremophila oldfieldii* subsp *angustifolia

Common Name	Pixie Bush
Location	Erem
Description	Rounded shrub or small tree with thick, narrow, fleshy leaves.
Distribution	Western Australia
Features	Tubular flowers are red to orange with hairs on the inside of the petals.



Eremophila oppositifolia

Common Name	Weeooka, Twin-leaf Emu Bush
Location	Erem, SAD
Description	Small tree or shrub which may grow to about 4 m high.
Distribution	Western Australia, South Australia, Victoria, New South Wales, Queensland
Features	Leaves are long and narrow and often have a hooked end. Flowering occurs from winter to summer. Tubular flowers may be white, cream pink or purple



Eremophila phillipsii

Common Name	
Location	Erem
Description	Tall, erect, open shrub which often has a strong smell. .
Distribution	Western Australia
Features	Foliage is stiff and narrow. Pale purple flowers bloom from September to December.

Eremophila phyllopoda

Common Name	
Location	Erem
Description	Shrub which can be either erect or spreading, and up to 2 m high.
Distribution	Western Australia
Features	Leaves and branches are covered with a layer of grey hairs, and pale purple tubular flowers bloom from June to October.



Eremophila platycalyx

Common Name	Granite Poverty Bush
Location	Erem
Description	Shrub or small tree with a layer of matted hairs and sticky resin covering its branches and leaves.
Distribution	Western Australia
Features	Tubular flowers can be coloured cream, yellow, pink or purple and may have spots.



Eremophila platycalyx* subsp *platycalyx

Common Name	
Location	MUR
Description	Erect or spreading shrub growing up to 4 m high; flattened hairs cover the branches and leaves.
Distribution	Western Australia
Features	Lance-shaped sepals and a short flower stalk (less than 6.5 mm) distinguish this species. The flowers which are cream-pink-pale yellow in colour, occur between June and September.

Eremophila platythamnus

Common Name	Desert Foxglove
Location	MUR
Description	Erect shrub growing up to 1.5 m high, with short, broad leaves and sticky, shiny branches.
Distribution	Western Australia, South Australia, Northern Territory
Features	Mauve-pink tubular flowers are hairy on the outside, and white and smooth on the inside.

Eremophila polyclada

Common Name	Twiggy Emu Bush
Location	SAD
Description	Dense, spreading shrub which grows to 3 m high and 5 m wide.
Distribution	South Australia, Victoria, New South Wales, Queensland
Features	A profusion of whitish-lilac flowers bloom from October through to May.



Eremophila psilocalyx

Common Name	
Location	MUR
Description	mall to medium shrub growing up to 3 m in height by a similar width.
Distribution	Western Australia
Features	Pale purple flowers appear from July to October. The purple sepals can remain on the plant long after flowering.

Eremophila pterocarpa

Common Name	Silver Poverty Bush, Wing-fruited Eremophila
Location	Erem
Description	Dense, rounded shrub usually about 2 m high, but can reach up to 5 m in height.
Distribution	Western Australia
Features	Leaves, sepals and petals are covered with short, fine hairs which give the plant a silvery appearance. Pink flowers are followed by fruits which are flat and dry and have papery wings.

Eremophila punicea

Common Name	
Location	Display
Description	Small bushy shrub with small grey leaves and hairy branches.
Distribution	Western Australia
Features	Tubular flowers are pink-purple in colour and also covered in fine hairs.



Eremophila pustulata

Common Name	Blistered Eremophila, Warted Eremophila
Location	Erem
Description	Erect shrub which grows to about 1.5 m high. Branches are covered with small, raised lumps and are hairless.
Distribution	Western Australia
Features	The flower petals may be coloured lilac, blue or white. Flowering occurs from April to December.

***Eremophila racemosa* - Peaches And Cream**

Common Name	Showy Eremophila, Emu Bush
Location	Erem
Description	Erect, hardy shrub, growing to 1 m high
Distribution	Western Australia
Features	The yellow buds open to reveal white tubular flowers in both spring and autumn.

Eremophila recurva

Common Name	
Location	Erem
Description	Erect shrub with hairy grey leaves; grows to height between 0.5 m and 2 m.
Distribution	Western Australia
Features	Linear, lance-shaped leaves are clustered near the ends of the branches. Tubular flowers are various shades of purple and bloom from May to September.

Eremophila reticulata

Common Name

Location Erem

Description Medium shrub about 1.5 m high and wide

Distribution Western Australia

Features White flowers with pink sepals mostly in late spring or summer. Very sensitive to frost.

Eremophila rotundifolia

Common Name Round-leaf Emu Bush

Location SAD

Description Small to medium shrub, usually growing to between 1 m and 3 m high.

Distribution Western Australia, South Australia

Features Silvery grey hairs cover the fan-shaped leaves and branches. Lilac or purple flowers from May to October.



Eremophila rugosa

Common Name

Location Erem

Description Erect shrub that has sticky, shiny branches and leaves due to the presence of resin.

Distribution Western Australia

Features Cylindrical leaves are about 25 mm long and 1 mm wide. Flower tubes are pink or purple on the outsides and white with purple spots on the inside.



Eremophila santalina

Common Name

Location Erem, SAD

Description Upright shrub or small tree with thin branches and thin green leaves; grows between 1 m and 5 m high.

Distribution South Australia

Features Branches and leaves are sticky and hairless. Flowers are mostly white and lack spots.

Eremophila scaberula

Common Name Rough Emu Bush

Location Erem

Description Low-growing shrub with whorls of linear leaves along its branches.

Distribution Western Australia

Features Small purple flowers bloom between July and October.



Eremophila spectabilis

Common Name

Location Erem

Description Erect shrub with sticky leaves and branches, growing up to 1 m high.

Distribution Western Australia

Features Flowers are various shades of purple and occur from June to October.



Eremophila splendens

Common Name

Location Erem Display

Description Small shrub with greyish-green, hairy leaves.

Distribution Western Australia

Features Flowers are up to 30 mm long and usually red in colour.



Eremophila strongylophylla

Common Name

Location Erem, MUR

Description Small, rounded shrub with distinctive round leaves that are covered with a layer of grey hairs.

Distribution Western Australia

Features Tubular flowers are purple on the outsides and white with purple spots inside.



Eremophila subfloccosa

Common Name Dense-felted Eremophila

Location Erem

Description Low, spreading shrub with soft, silvery foliage which is strongly scented when crushed.

Distribution Western Australia, South Australia

Features Flowers are yellow-green and bloom in spring.

Eremophila tietkensis

Common Name

Location Erem

Description Compact, round shrub with grey-green, leathery leaves, growing up to 2 m high.

Distribution Western Australia, Northern Territory

Features The petal tubes are shades of pale purple on the outside and white with purple spots on the inside; flowers bloom between April and October.



Eremophila vernicosa

Common Name Resinous Poverty Bush

Location Erem

Description Spreading shrub to 0.5 m high

Distribution Western Australia

Features White to pale mauve flowers and small foliage

Eremophila virens

Common Name	Green-flowered Eremophila, Campion Eremophila
Location	Erem
Description	Erect shrub growing to between 2 m and 5 m high.
Distribution	Western Australia
Features	Flowers are green in colour and tubular in shape, and occur between August and October.



Eremophila warnesii

Common Name	
Location	Erem
Description	Small, compact shrub with fine hairs covering the leaves and branches.
Distribution	Western Australia
Features	Tubular shaped flowers are purple and covered with tiny hairs on the outside of the tube.

Eremophila weldii

Common Name	
Location	NUL
Description	Hardy shrub which may be open and erect or prostrate.
Distribution	Western Australia, South Australia
Features	Blue-purple flowers appear after rain from March to December; glabrous green leaves.

Eremophila youngii

Common Name

Location Erem, MUR

Description Upright shrub with linear leaves that are slightly hooked at the tip.

Distribution Western Australia

Features Red or yellow flowers are tubular in shape, about 25 mm long, and hang downwards along the stem.



Eucalyptus albopurpurea

Common Name Port Lincoln Mallee

Location SAD

Description Mallee to 5 m tall

Distribution South Australia

Features Flowers may be white, pink, mauve or purple



Eucalyptus armillata

Common Name Red-flowered Mallee

Location AVW

Description Erect, lignotuberous mallee that grows to height of about 7 m.

Distribution Western Australia

Features The pale grey bark is smooth; the leaves are narrow and glossy; and the flowers are usually red but sometimes white.



Eucalyptus brockwayi

Common Name	Dundas Mahogany
Location	Cen, MAL
Description	Medium to large tree which grows to between 5 m and 20 m high.
Distribution	Western Australia
Features	Smooth, shiny bark on the trunk and branches; glossy, linear leaves; creamy-white flowers from March and June.

Eucalyptus celastroides

Common Name	
Location	COO
Description	A mallee eucalypt found in flat or slightly undulating land, and growing to between 2m and 8m in height.
Distribution	Western Australia
Features	Bark is rough and flaky on lower half of its trunk and smooth elsewhere. White flowers occur between August and January.

Eucalyptus clelandiorum

Common Name	Cleland's Blackbutt
Location	Cen
Description	Mallet that does not form a lignotuber; grows to height of 10 m.
Distribution	Western Australia
Features	On the lower half of the trunk, the bark is black and hard whilst higher up the bark becomes smooth and pale grey. Bears white flowers in spring

Eucalyptus cosmophylla

Common Name	Cup Gum
Location	Cen 2
Description	Small tree or mallee 5-10 m high
Distribution	South Australia
Features	Grey-green leaves, white trunk and white flowers

Eucalyptus cretata

Common Name	Dark Peake Mallee
Location	SAD
Description	Lignotuberous mallee with height up to 4 m.
Distribution	South Australia
Features	Smooth grey bark and white flowers from January to March.



Eucalyptus erythronema

Common Name	White Mallee, Lindsay Gum, White-barked Mallee, Red-flowered Mallee
Location	MAL
Description	Mallee that grows to height of 2 to 6 m and forms a lignotuber.
Distribution	Western Australia
Features	Smooth brown bark is shed to reveal powdery white new bark; red, pink or white flowers bloom between July and December.



Eucalyptus fasciculosa

Common Name	Pink Gum, Hill Gum, Scrub Gum
Location	SAD
Description	Tree with a single stem and growing up to 15 m high and 12 m wide; the canopy is not dense and other plants may grow in the shade.
Distribution	South Australia
Features	Smooth white bark is shed in flakes; clusters of white flowers occur between March and December.

Eucalyptus flindersii

Common Name	South Australian Grey Mallee
Location	SAD
Description	Mallee about 5 m tall
Distribution	South Australia
Features	Smoothbark and small white flowers

Eucalyptus flocktoniae

Common Name	Merrit
Location	COO
Description	Tree or mallee that prefers open woodland on sandy plains. Reaches height of between 2.5 and 8 m.
Distribution	Western Australia
Features	Has smooth, silvery grey bark; horned-shaped buds produce white-cream flowers from August to December.

Eucalyptus kingsmillii

Common Name	
Location	COO, MUR
Description	Mallee or small tree, typically growing to about 7 m.
Distribution	Western Australia, South Australia
Features	Large buds opening to yellow flowers, rough bark on trunk, red-brown-grey in colour.



Eucalyptus kruseana

Common Name	Bookleaf Mallee
Location	COO
Description	Small mallee with height from 2.5 to 4 m and a straggly habit.
Distribution	Western Australia
Features	Smooth bark is grey/pinkish; grey leaves are tiny, stalkless, and aromatic when crushed; clusters of yellow flowers in winter to spring.



Eucalyptus lehmannii

Common Name	Bushy Yate
Location	ESP
Description	Small mallee with multiple trunks, growing up to 5 m tall.
Distribution	Western Australia
Features	Smooth bark is coloured grey and brown, and sheds in strips. Yellow-green flowers form pointy gumnuts.



Eucalyptus leucoxylon

Common Name	Yellow Gum, Blue Gum, White Ironbark
Location	SAD
Description	Lignotuberous tree with height of between 10 m and 30 m
Distribution	South Australia, Victoria, New South Wales.
Features	Trunk is smooth with cream to grey coloured bark; clusters of red flowers appear from autumn to spring.



Eucalyptus odorata

Common Name	Peppermint Box
Location	SAD
Description	Tree or mallee which forms a lignotuber and grows to height of 5 m.
Distribution	South Australia, Victoria
Features	White flowers throughout the year. Hard, rough bark on the trunk and larger branches; smooth greyish bark on the smaller branches.

Eucalyptus orbifolia

Common Name	Round-leaved Mallee
Location	MUR
Description	Small spreading mallee with canopy often reaching to ground level
Distribution	South Australia, Western Australia, Northern Territory
Features	Round grey foliage and yellow flowers



Eucalyptus oxymitra

Common Name	Sharp-capped Mallee
Location	SAD
Description	Lignotuberous mallee growing up to 4 m high.
Distribution	South Australia, Western Australia, Northern Territory
Features	Rough bark on trunk with smoother bark on branches; white or pale yellow flowers throughout the year.

Eucalyptus peninsularis

Common Name	Cummins Mallee
Location	EYB
Description	Mallee to 6 m tall forming a lignotuber
Distribution	South Australia
Features	Smooth bark, flowers pale yellow to white

Eucalyptus petiolaris

Common Name	Water Gum
Location	EYB, CEN2
Description	Small to medium tree to 10 m tall
Distribution	South Australia
Features	Bark partly rough at base and smooth branches. Flowers may be white, yellow, orange, pink or red.



Eucalyptus phenax

Common Name	Green Dumosa Mallee, White Mallee
Location	EYB
Description	Lignotuberous mallee which grows between 3 m and 8 m high
Distribution	Western Australia, South Australia
Features	Leaves are glossy green and lance-shaped; white flowers bloom in groups of seven or nine. Bark is smooth cream to grey.

Eucalyptus pimpiniana

Common Name	Pimpin Mattee
Location	NUL
Description	Small spreading mallee usually only 2 m high
Distribution	South Australia Western Australia
Features	Smooth bark and copious yellow flowers



Eucalyptus pleurocarpa

Common Name	Tallerack
Location	ESP
Description	Spreading to erect mallee which may reach 4 m in height
Distribution	Western Australia
Features	It has smooth greyish bark, waxy grey leaves and white flowers which appear in January to April or from October to December.



Eucalyptus preissiana* subsp *lobata

Common Name	Bell-fruited Mallee
Location	ESP
Description	Small mallee which grows to about 1 m high and is found in coastal areas.
Distribution	Western Australia
Features	Oblong greyish-green leaves; yellow flowers in winter and spring followed by bell-shaped gumnuts.



Eucalyptus pterocarpa

Common Name	
Location	COO
Description	Tree or mallet that grows near creeks and streams, typically reaching height of 10 m.
Distribution	Western Australia
Features	Smooth light grey bark sheds in ribbons; glossy green leaves which are lance-shaped; white flowers in October.



Eucalyptus pyriformis

Common Name	Pear-fruited Mallee, Dowerin Rose
Location	COO, GES
Description	Straggly, lignotuberous mallee growing up to 5 m high, with smooth grey or pink bark which is often shed in ribbons.
Distribution	Western Australia
Features	Leaves are a dull greyish-blue colour; large pinkish-red or yellow flowers occur between May and October.



Eucalyptus rameliana

Common Name	Ramel's Mallee
Location	MUR
Description	Lignotuberous mallee with a shrub-like habit and growing up to 2 m high.
Distribution	Western Australia
Features	Smooth greyish-brown bark and lance-shaped, dull green leaves. Flowers are usually pale yellow, occasionally red, and bloom from May to June.



Eucalyptus ravida

Common Name

Location MUR

Description Mallet with smooth shiny bark which grows between 5 m and 20 m high

Distribution Western Australia

Features Creamy white flowers bloom from September to December and are followed by fruit which is woody and conical in shape.

Eucalyptus rhodantha

Common Name Rose Mallee

Location AVW

Description Low spreading mallee that grows up to 4 m in height.

Distribution Western Australia

Features It has smooth greyish to pink coloured bark, dull silvery-grey leaves, and red flowers that occur from July through to December.



Eucalyptus rosacea

Common Name

Location MUR

Description Lignotuberous mallee which grows up to 4 m high.

Distribution Western Australia

Features The greyish bark is smooth and sheds in ribbons; flowers may be coloured cream, pink or red.



Eucalyptus salubris

Common Name	Gimlet, Fluted Gum Tree, Silver-topped Gimlet
Location	Cen, COO
Description	Mallet or tree growing up to 15 m high.
Distribution	Western Australia
Features	Smooth bark is shiny and grey to tan in colour; the white flowers appear in groups of seven buds from September to March.



Eucalyptus sinuosa

Common Name	Octopus Mallee
Location	ESP
Description	Mallee to 4 m tall
Distribution	Western Australia
Features	Smooth bark .Spectacular balls of greenish yellow flowers

Eucalyptus spathulata

Common Name	Swamp Mallet, Narrow Leaved Gimlet
Location	Cen
Description	Mallet with a dense crown which grows to a height between 8 m and 12 m.
Distribution	Western Australia
Features	Smooth bark is greyish brown; linear leaves are glossy green; white flower buds occur in groups of three or seven.

Eucalyptus steedmanii

Common Name	Steedman's Gum, Steedman's Mallet
Location	MAL
Description	Mallet with many ascending branches that form a dense crown; height from 2 m to 12 m.
Distribution	Western Australia
Features	Red-copper coloured bark is smooth; narrow leaves are glossy green; white flowers are produced between January and March.



Eucalyptus synandra

Common Name	Jingymia Mallee
Location	Display
Description	Tall shrub or small tree with a multi-stemmed habit, growing up to 5 m tall.
Distribution	Western Australia
Features	Linear leaves about 200 mm long; smooth bark is shed annually; flowers may be pink or white.



Eucalyptus tephroclada

Common Name	
Location	COO
Description	Lignotuberous mallee with height up to 4 m.
Distribution	Western Australia
Features	The bark is smooth and ranges in colour from copper to grey; glossy green leaves are narrow and up to 10 cm long; flower buds occur in groups of nine to thirteen and produce pale yellow flowers from October to February.

Eucalyptus tetraptera

Common Name	Square-fruited Mallee, Four-winged Mallee
Location	Cen
Description	Low, straggly mallee that grows up to 3 m high with a similar width.
Distribution	Western Australia
Features	It has smooth grey bark and large, thick, glossy leaves; red flowers are followed by large, red, seed pods that are square-shaped with four prominent ridges.



Eucalyptus torquata

Common Name	Coral Gum, Coolgardie Gum
Location	COO, MUR
Description	Medium-sized tree that grows well in dry climates; height between 4 m and 11 m.
Distribution	Western Australia
Features	Pink flowers; rough, dark grey bark on trunk, smooth bark on branches.



Eucalyptus transcontinentalis

Common Name	Redwood, Boongul
Location	MAL
Description	Small to medium tree, sometime a mallet, that typically grows between 12 m and 25 m high.
Distribution	Western Australia
Features	The smooth bark is mainly grey with the occasional blotch of yellow or pink; pale yellow flowers bloom between July and December and are followed by barrel-shaped seed capsules.



Eucalyptus victrix

Common Name	Little Ghost Gum, Smooth-barked Coolibah, Western Coolibah
Location	Cen
Description	Slow-growing tree that usually reaches up to 12 m high, but can grow to height of 22 m and form a lignotuber.
Distribution	Western Australia, Northern Territory
Features	Easily recognised by its smooth white trunk; grey-green leaves are lance-shaped; creamy white flowers bloom between November and March.

Eucalyptus wandoo

Common Name	Wandoo Gum, White Gum
Location	Cen
Description	Slow-growing medium-sized tree that grows up to 10 m high and 5 m wide.
Distribution	Western Australia
Features	The smooth white bark may have patches of grey or light brown, and the old bark becomes flaky; lance-shaped leaves are greyish-green; flower buds grow in groups of nine to seventeen, and produce white flowers from December to May.



Eucalyptus wyolensis

Common Name	Lake Wyola Mallee
Location	SAD
Description	Lignotuberous mallee that typically grows up to 7 m high
Distribution	South Australia
Features	Bark is rough near the base but smooth and grey above; pale yellow flowers are followed by barrel-shaped seed pods.



Eucalyptus yalataensis

Common Name	Yalata Mallee
Location	NUL
Description	Mallee to 4 m tall and up to 7 m wide
Distribution	South Australia Western Australia
Features	Rough grey bark on the trunk, flowers are creamy white to yellowish

Eucalyptus youngiana

Common Name	Yarldarba, Large-fruited Mallee
Location	COO, MUR, SAD
Description	Lignotuberous mallee that reaches up to 8 m in height.
Distribution	Western Australia, South Australia
Features	Rough fibrous bark over part of trunk; dull, light green leaves; large red, pink or bright yellow flowers from June to October.



Eutaxia diffusa

Common Name	Spreading Eutaxia
Location	EYB
Description	Shrub growing up to 1 m high with a similar spread.
Distribution	South Australia, Victoria, New South Wales, Queensland
Features	Small grey-green leaves are shaped like a tear-drop; yellow pea flowers occur between August and October.

Eutaxia microphylla

Common Name	Common Eutaxia
Location	EYB
Description	Low-growing shrub with small leaves and pea flowers.
Distribution	South Australia, Victoria, Tasmania, New South Wales
Features	Grey-green leaves are 4mm long and 0.9 mm wide; flowers are yellow and orange and bloom between July and October.



Eutaxia obovata

Common Name	Egg and Bacon Plant
Location	ESP
Description	Small, hardy shrub growing up to 1 m high.
Distribution	Western Australia
Features	The pea shaped flowers are bright yellow and orange-brown and bloom in the spring.

Frankenia cordata

Common Name	Heart Leaved Frankenia
Location	MUR, SAD
Description	Small spreading shrub that is salt and drought tolerant.
Distribution	Western Australia, Northern Territory, South Australia
Features	Leaves are heart shaped and flowers are pale pink.

Frankenia serpyllifolia

Common Name	Bristly Sea-heath
Location	EYB
Description	Low-growing, densely branched shrub
Distribution	South Australia, Northern Territory, Queensland, New South Wales, Victoria
Features	Leaves are thin and hairy; pink flowers have 5 petals and occur for most of the year.

Gastrolobium bilobum

Common Name	Heart-leaved Poison
Location	GES
Description	Bushy shrub which typically grows to about 2 m high.
Distribution	Western Australia
Features	Dark green leaves are wide at the top and about 2 cm in length; flowers are yellow with red markings and appear in clusters from August to December.



Gastrolobium minus

Common Name	Broad-leaved Brachysema
Location	ESP
Description	Prostrate, trailing shrub which spreads to 1 m in diameter.
Distribution	Western Australia
Features	Oval leaves have a silky under-surface and a dark green upper surface. Orange-red flowers with yellow markings bloom between July and October.



Gastrolobium sericeum

Common Name	
Location	ESP
Description	Small shrub ranging in habit from prostrate to around 2 m high.
Distribution	Western Australia
Features	Typical "pea" flowers are attractive to native birds. Flower colour ranges from cream to red to almost black.

Geleznowia verrucosa

Common Name

Location AVW

Description Small rounded shrub to about 1 m high

Distribution Western Australia

Features Small leaves are thick and oval-shaped; clusters of yellow flowers occur at the ends of branches.



Gompholobium baxteri

Common Name Baxter's Wedge-pea

Location MAL

Description This plant has two forms:- one form has single leaves, is bushy and grows in the inland mallee, the other form is found in coastal heath and has trifoliate leaves.

Distribution Western Australia

Features Both forms have yellow flowers, sticky buds and hairy seedpods.

Goodenia albiflora

Common Name White Goodenia

Location SAD

Description Rhizomatous herb which grows up to about 70 cm high

Distribution South Australia

Features Blue-green leaves and white flowers in spring and summer.



Goodenia geniculata

Common Name	Bent Goodenia, Native Primrose
Location	EYB
Description	Tufted, perennial herb up to 20 cm high.
Distribution	South Australia, Victoria
Features	Yellow flowers

Goodenia pinnatifida

Common Name	Cut-leaf Goodenia
Location	EYB
Description	Perennial herb to 30 cm high
Distribution	South Australia Victoria Western Australia
Features	Leaved mostly basal, yellow flowers on long stalks

Goodenia scapigera

Common Name	White Goodenia
Location	AVW, ESP
Description	Erect perennial shrub with a spread of 150 cm and up to 50 cm high.
Distribution	Western Australia
Features	White fan-shaped flowers from spring to summer.

Goodenia vernicosa

Common Name	Wavy Goodenia
Location	EYB
Description	Upright shrub up to 1.5 m high with a similar spread.
Distribution	South Australia
Features	Yellow flowers

Gossypium sturtianum

Common Name	Sturt's Desert Rose
Location	SAD
Description	Shrub reaching up to 1.5 m high with large oval leaves and hibiscus-like flowers. It is the floral emblem of the Northern Territory.
Distribution	Western Australia, Northern Territory, South Australia, Queensland, New South Wales
Features	Contains a toxic substance called <i>gossypol</i> . The flowers range in colour from pink to purple and have a dark red centre. The leaves emit a strong scent when crushed.



***Grevillea aspera* Gawler Range**

Common Name	Rough Grevillea
Location	EYB
Description	Shrub up to 1 m high and 1 m-2 m wide.
Distribution	South Australia
Features	Blue-grey foliage and pendulous red and yellow flowers



Grevillea asteriscosa

Common Name	Star-leaf Grevillea
Location	MAL
Description	Divaricately branched shrub from 30 cm up to 2 m high.
Distribution	Western Australia
Features	Small star-shaped leaves; clusters of bright red flowers between May and November.



Grevillea bipinnatifida

Common Name	Fuschia Grevillea
Location	Display
Description	Spreading lignotuberous shrub which may reach 1 m high and 1.5 cm wide.
Distribution	Western Australia
Features	Prickly, fern-like foliage with orange to red flowers in spring and summer.



Grevillea candelabroides

Common Name	Smelly Socks Grevillea
Location	Display, GES
Description	Large shrub or small tree up to 4 m in height with a similar spread.
Distribution	Western Australia
Features	White flowers occur in candle-like clusters up to 25 cm long; they have a strong unpleasant aroma said to resemble “smelly socks”.



Grevillea delta

Common Name	
Location	GES
Description	Shrub or small tree growing to height between 0.5 m and 2 m.
Distribution	Western Australia
Features	Grey-green foliage and red flowers in winter.



Grevillea dielsiana

Common Name	Diels Grevillea
Location	GES
Description	Spreading, non-lignotuberous shrub which grows to about 2.5 m high.
Distribution	Western Australia
Features	Flowers may vary in colour from red, red-orange, yellow-orange, and pink. Leaves are prickly.



Grevillea endlicheriana

Common Name	Spindly Grevillea
Location	ESP
Description	Shrub which grows to between 1 m and 3 m high.
Distribution	Western Australia
Features	White, pink or red flowers occur between July and November



Grevillea erectiloba

Common Name	
Location	MUR
Description	Dense rounded shrub 1-2 m high
Distribution	Western Australia
Features	Erect blue-green foliage and bright red flowers which are somewhat hidden in the foliage

Grevillea eriostachya

Common Name	Yellow Flame Grevillea, Desert Grevillea
Location	MAL
Description	Bushy, lignotuberous shrub to 1.5 m high, and suited to dry climates.
Distribution	Western Australia, Northern Territory, South Australia
Features	Flower stems emerge above the grey-green foliage; green buds open to reveal golden yellow flowers.



Grevillea excelsior

Common Name	Orange Flame Grevillea
Location	MAL, MUR
Description	Small tree with a height of between 2 m and 8 m.
Distribution	Western Australia
Features	Vivid orange flowers occur between July and January and provide contrast with the dark green foliage.



Grevillea flexuosa

Common Name	Zig Zag Grevillea
Location	AVW Display
Description	Sprawling, tangled shrub about 1.5 m high and wide
Distribution	Western Australia
Features	Pale yellow/white flowers appear on terminal spikes in spring/summer. Leaves are stiff, spiky and irregularly shaped.



Grevillea hookeriana subsp. apiculoba

Common Name	
Location	MUR
Description	Spreading shrub about 2.5 m high
Distribution	Western Australia
Features	Long black toothbrush flowers

Grevillea juncifolia

Common Name	Honeysuckle Grevillea
Location	MUR
Description	Shrub or small tree up to 7 m high
Distribution	Inland regions of Australia
Features	Long thin leaves and orange flowers held high above the foliage



Grevillea lavandulacea

Common Name	Lavender Grevillea
Location	EYB
Description	Small spreading shrub about 50 cm high
Distribution	South Australia Victoria
Features	Grey-green foliage and conspicuous pink and cream flowers



Grevillea leucopteris

Common Name	Old Socks, White Plume Grevillea
Location	GES
Description	Tall shrub which can grow up to 5 m high.
Distribution	Western Australia
Features	Flower stems emerge above the ferny grey foliage, and large white flowers bloom in late winter. The scent of the flowers is said to smell like "old dirty socks".



Grevillea levis

Common Name

Location MUR

Description Medium shrub 1 – 2 m high

Distribution Western Australia

Features Conspicuous white and pink flowers from May to October.
Prickly foliage



***Grevillea petrophiloides subsp. magnifica* (syn *Grevillea magnifica*)**

Common Name

Location AVW MAL

Description Open, erect shrub typically reaching about 4 m in height.

Distribution Western Australia

Features Purple/pink flowers are held erect above the dark green foliage.



Grevillea nivea

Common Name Scarlet King

Location ESP

Description Shrub up to 2 m high and 1.5 m wide, with whitish branches, thin green leaves and red flowers.

Distribution Western Australia

Features Masses of red “toothbrush” flowers attract nectar eating birds.



Grevillea nudiflora

Common Name

Location ESP, MAL

Description Hardy, prostrate shrub which spreads up to 2 m wide.

Distribution Western Australia

Features Dense foliage; red-yellow flowers occur between mid-winter and late spring.



Grevillea obliquistigma

Common Name

Location MUR

Description Medium shrub usually 2-3 m tall

Distribution Western Australia

Features Prominent cream flowers

Grevillea pityophylla

Common Name

Location MUR

Description Lignotuberous shrub about 1 m high

Distribution Western Australia

Features Long leathery leaves and pink to red flowers

Grevillea plurijuga

Common Name

Location MAL

Description Spreading, lignotuberous shrub which usually reaches 2 m in height and 3 m in width.

Distribution Western Australia

Features Red-pink flowers are held upright along prostrate stems in spring and summer.



Grevillea preissii* subsp *preissii

Common Name Spider Net Grevillea

Location GES

Description Small shrub to about 1 m high with greyish green leaves which may be hairy or glabrous.

Distribution Western Australia

Features Clusters of bright red flowers appear in winter and spring.

Grevillea pterosperma

Common Name Desert Grevillea

Location MUR

Description Large shrub 2-4 m high

Distribution New South Wales South Australia Victoria Western Australia

Features Conspicuous cream flowers held above the foliage

Grevillea thyrsoides

Common Name

Location AVW

Description Small spreading shrub

Distribution Western Australia

Features Stiff grey divided leaves and large pink flowers on the ends of the branches



Grevillea treueriana

Common Name	Mt Finke Grevillea
Location	Disp
Description	Small shrub which grows to about 2 m high and wide.
Distribution	South Australia
Features	Bright orange flowers tend to hang downwards and the intricately divided leaves have sharp points.



Guichenotia macrantha

Common Name	Large flowered Guichenotia
Location	AVW ESP
Description	Upright, small to medium shrub growing from 1 m to 2 m in height by similar width.
Distribution	Western Australia
Features	Grey-green linear leaves and pink-mauve flowers during May to September.



Hakea acuminata

Common Name	
Location	ESP
Description	Erect, densely branched shrub which grows 0.5-1.8 m high.
Distribution	Western Australia
Features	Clusters of cream to pale yellow flowers appear from July to October.



Hakea brownii

Common Name

Location GES, MAL

Description Spreading or erect lignotuberous shrub which can reach height of 2.5 m.

Distribution Western Australia

Features Clusters of creamy brown flowers from Sep to Nov; the stiff, thick leaves are fan-shaped with prickly edges.



Hakea bucculenta

Common Name Red Pokers

Location GES

Description Upright shrub of about 4 m in height.

Distribution Western Australia

Features Leaves are long and narrow; bright orange-red flower spikes occur from June to October and attract bees and birds.



Hakea cinerea

Common Name	Ashy Hakea, Grey Hakea
Location	GES
Description	Rigid non-lignotuberous shrub that typically grows to 2 m high
Distribution	Western Australia
Features	Blue-grey leaves are rounded and taper to a blunt point; the flowers which bloom from August to November, are creamy-white at first and age to orange with age.



Hakea circumalata

Common Name	
Location	GES
Description	Erect, open shrub with a prickly dense growth habit; typically growing from 0.5 m to 1.5 m high.
Distribution	Western Australia
Features	Clusters of strongly scented pink to red flowers appear from August to September; leaves are rigid and needle-shaped.



Hakea clavata

Common Name	Coastal Hakea
Location	GES
Description	Lignotuberous spreading or erect shrub up to 2 m high.
Distribution	Western Australia
Features	Long, succulent leaves end in a hard sharp point; white/pink flowers bloom from summer to spring.



Hakea cygna subsp cygna

Common Name	Swan Fruit Hakea
Location	GES
Description	Upright, bushy shrub growing to about 2 m in height; new foliage is rust coloured, and the thick, flat leaves are egg-shaped.
Distribution	Western Australia
Features	Flowers are creamy-white and form seed capsules whose shape has been likened to a swan body – hence the common name.

Hakea denticulata

Common Name	Stinking Roger
Location	ESP
Description	Compact, multi-branched shrub up to 2 m high.
Distribution	Western Australia
Features	Creamy-yellow or orange-red flowers have an offensive strong scent and bloom from July to October.

Hakea erecta

Common Name	
Location	AVW, ESP
Description	Erect, rounded shrub with spreading branches and reaching height of about 2.5 m.
Distribution	Western Australia
Features	The linear leaves end in a sharp point; the bark is smooth and grey; clusters of pink flowers occur in September and October and are followed by oblong fruits.

Hakea francisiana

Common Name	Grass-leaf Hakea
Location	MUR
Description	Non-lignotuberous shrub or tree, reaching height of about 8 m.
Distribution	Western Australia, South Australia
Features	Has a V-shaped canopy and rough bark; pink-red flowers from July to October



Hakea hookeriana

Common Name	Barren Range Hakea
Location	ESP
Description	Erect non-lignotuberous shrub growing between 1 m and 5 m high.
Distribution	Western Australia
Features	Flowers may be red-brown or cream-yellow and occur from September to January.

Hakea incrassata

Common Name	Marble Hakea
Location	MAL
Description	Spreading lignotuberous shrub reaching a height from 0.3 to 1.5 m.
Distribution	Western Australia
Features	Small white/pink flowers bloom from June to November; leaves are thick, flat and leathery with a rigid point.

Hakea invaginata

Common Name	
Location	AVW, GES, MUR
Description	Non-lignotuberous, spreading shrub which grows to between 1.5 and 3 m in height.
Distribution	Western Australia
Features	Tufts of pink flowers bloom during winter and spring. Leaves are long and silver green in colour.



Hakea lissocarpha

Common Name	Honey Bush
Location	AVW
Description	Erect to sprawling, <i>lignotuberous</i> shrub up to 1.5 m high
Distribution	Western Australia
Features	Leaves have sharp tips; highly perfumed flowers vary in colour from white-cream to yellow and pink, and bloom from May to September.



Hakea lorea

Common Name	Bootlace Oak, Cork Tree
Location	MAL, MUR
Description	Shrub or small tree growing from 1 m to 10 m high.
Distribution	Western Australia, Northern Territory, South Australia, Queensland
Features	Needle-shaped leaves are 15 cm to 70 cm in length; the flowers may be white, yellow or green; the bark is thick and corky with many furrows.



Hakea multilineata

Common Name	Grass-leaf Hakea
Location	AVW, MAL
Description	Erect, non- <i>lignotuberous</i> shrub which grows to between 1.5 m and 6 m high.
Distribution	Western Australia
Features	Pink flowers bloom from June to September and contrast with the linear, grey-green leaves.



Hakea neurophylla

Common Name	Pink-flowered Hakea
Location	GES
Description	Erect shrub with height of between 0.3 m and 2 m.
Distribution	Western Australia
Features	Thick, blue-grey leaves are 3-4 cm long and have prominent veins; perfumed pink-white flowers occur during mid to late winter.



Hakea nitida

Common Name	Frog Hakea
Location	MAL
Description	Spreading shrub or small bushy tree growing up to 3 m high.
Distribution	Western Australia
Features	Pale green leaves are thick and shiny, about 10 cm long with a sharp point; domed clusters of perfumed white flowers appear along the branches from July to September. The warty seed pods have a bloated base and narrow top, which has the appearance of a squatting frog.



Hakea orthorrhyncha* subsp *filiformis

Common Name	Bird Beak Hakea
Location	GES
Description	Erect, spreading, non- <i>lignotuberous</i> shrub; 2.5 m high with similar spread.
Distribution	Western Australia
Features	Dark green leaves are narrow with a sharp point; red flowers occur in clusters along the older stems in August to September; seed pods are round with a prominent “beak”.



Hakea orthorrhyncha* subsp *orthorrhyncha

Common Name	Bird Beak Hakea
Location	GES
Description	Much-branched, straggly, lignotuberous shrub up to 1.5 m high.
Distribution	Western Australia
Features	Flat leaves are about 15 cm long; orange-red flowers are borne in clusters on old wood in autumn and winter; woody seed pods are about 5cm long with a pointed “beak”.

Hakea pandanycarpa* subsp *crassifolia

Common Name	
Location	AVW, MAL
Description	Non- <i>lignotuberous</i> tree or shrub which grows from 1 m to 4 m high.
Distribution	Western Australia
Features	White-cream flowers occur from September to November, and are followed by egg-shaped fruit.



Hakea platysperma

Common Name	Cricket Ball Hakea
Location	COO
Description	Spreading shrub reaching height of 2 m.
Distribution	Western Australia
Features	Creamy pink to yellow flowers bloom in clusters in winter. The round, seed-pods are about 7 cm in diameter - the size of a cricket ball.

Hakea pritzelii

Common Name	
Location	ESP
Description	Erect, spreading shrub with height between 1 m and 2.5 m.
Distribution	Western Australia
Features	Sweetly-scented red-purple flowers bloom in July through to October. Pale green leaves have a sharp point.

Hakea prostrata

Common Name	Harsh Hakea
Location	GES
Description	Erect, spreading shrub reaching up to 3 m high and up to 2 m wide.
Distribution	Western Australia
Features	The leaves have prickly edges. Scented, white flowers appear between July and October.



Hakea recurva

Common Name	Jarnockmert
Location	GES
Description	Tall, non-lignotuberous shrub or tree reaching a height between 1 m and 6 m.
Distribution	Western Australia
Features	Cream-yellow flowers bloom from June to October. The fruits are egg-shaped.

Hakea rugosa

Common Name	Wrinkled Hakea, Dwarf Hakea
Location	EYB
Description	Spreading shrub typically reaching 2 m in height
Distribution	South Australia
Features	The leaves are stiff, straight and sharp. The cream flowers are scented and bloom profusely from August to October.

Hakea stenocarpa

Common Name	Narrow-fruited Hakea
Location	GES
Description	Rounded, lignotuberous shrub between 0.3 m and 1 m high
Distribution	Western Australia
Features	Linear leaves curl in an upward spiral. Clusters of scented white-cream flowers appear in September and October.



Hakea subsulcata

Common Name

Location MAL

Description Upright or spreading shrub with height between 1 m and 3 m.

Distribution Western Australia

Features Blue-grey leaves are 3 to 13 cm long and end in a blunt point. White-pink-purple flowers bloom from May to August.



Hakea trifurcata

Common Name Two-leaf Hakea

Location ESP, GES

Description Rounded or open, non-*lignotuberous* shrub with height between 1.5 and 3 m, and up to 3.5 m wide.

Distribution Western Australia

Features Two forms on leaves, one is needle-like and straight, the second is wider and oblong. Scented white-pink flowers bloom between April and October.



Halgania anagalloides* var *Southern

Common Name Blue Bush

Location AVW, MAL

Description Straggly, low-growing suckering groundcover

Distribution Western Australia

Features Blue flowers have five petals and a pointed dark blue stamen with yellow at the base. The leaves have a serrated edge.



Halgania cyanea

Common Name	Rough Halgania
Location	EYB, SAD Dirplay
Description	Spreading or erect shrub up to 1.2 m high.
Distribution	Western Australia, South Australia, Victoria, New South Wales, Queensland
Features	Leaves are variable – they may have serrated edges, they may curl backwards. The five-petalled flowers range in colour from blue to violet.



Harnieria kempeana

Common Name	
Location	MUR
Description	Low spreading shrub
Distribution	Western Australia
Features	Purple-blue-pink-red flowers from May to September



Hemiandra gardneri

Common Name	Red Snakebush
Location	AVW, GES
Description	Small prostrate shrub with greyish foliage.
Distribution	Western Australia
Features	Bright red, orange or pink flowers have a tubular shape.



Hemiandra linearis

Common Name	Speckled Snakebush
Location	AVW
Description	Dwarf prostrate shrub spreading to 1 m.
Distribution	Western Australia
Features	Large white flowers with pink spots. Leaves are sharply pointed.

Hemiandra pungens

Common Name	Snakebush
Location	AVW, ESP, GES, MAL
Description	Small prostrate shrub spreading to about 1 m in diameter.
Distribution	Western Australia
Features	Tubular flowers are pink, mauve, lilac or white with darker spots in the throat. Leaves are lance-shaped with a short sharp point.



Hemigenia macrantha

Common Name	
Location	GES
Description	Dwarf to small shrub up to 1 m high
Distribution	Western Australia
Features	Conspicuous red flowers 3-4 cm long

Hibbertia cuneiformis

Common Name	Cut-leaf Hibbertia
Location	ESP
Description	Erect hardy shrub growing to between 1 m and 2 m high.
Distribution	Western Australia
Features	Bright yellow flowers appear from January to March and June to November.



Hibbertia microphylla

Common Name	
Location	ESP
Description	Dwarf spreading shrub with arching branches and small leaves
Distribution	Western Australia
Features	Yellow flowers bloom from August to December.

Homoranthus sp

Common Name	
Location	EYB
Description	Low spreading groundcover
Distribution	South Australia
Features	

Hypocalymma angustifolium

Common Name	White Myrtle, Pink Myrtle
Location	AVW, Display
Description	Erect, multi-stemmed shrub, growing to 1 m high and 1.5 m across.
Distribution	Western Australia
Features	Cup-shaped white or pink flowers are set close on the stems and bloom in late winter and spring



Hypocalymma elongatum

Common Name	
Location	ESP
Description	Low rounded shrub, up to 1 m high and 1 m wide.
Distribution	Western Australia
Features	Dainty pink flowers in summer



Hypocalymma robustum

Common Name	Swan River Myrtle
Location	AVW Display
Description	Small erect shrub to about 1 m high
Distribution	Western Australia
Features	Lots of deep pink flowers along the branches

***Hypocalymma* sp Lake King**

Common Name

Location MAL, Display

Description Low growing shrub up to 0.8 m high with similar width.

Distribution Western Australia

Features Grey-green foliage contrasts with the large pink flowers that appear from August to January.



Hypocalymma strictum

Common Name Pink Myrtle

Location ESP

Description Upright, dwarf shrub growing to around 1 m high.

Distribution Western Australia

Features Pink flowers occur during autumn, winter and spring

Hypocalymma xanthopetalum

Common Name Golden Flowered Myrtle

Location Display, GES

Description Erect to sprawling shrub usually less than 1 m high.

Distribution Western Australia

Features The small leaves are oval in shape; yellow flowers appear in winter and spring.



Isopogon divergens

Common Name	Spreading Coneflower
Location	AVW, MAL
Description	Small to medium non- <i>lignotuberous</i> shrub, 0.3 m to 2 m high.
Distribution	Western Australia
Features	Pink or mauve flowers appear in late winter and spring, and are followed by spherical seed pods.



Isopogon dubius

Common Name	Pincushion Coneflower
Location	AVW
Description	Compact shrub usually about 1 m high and wide
Distribution	Western Australia
Features	Large pink flowers and interesting divided foliage

Isopogon formosus

Common Name	Rose Coneflower
Location	AVW
Description	Erect or spreading shrub growing to about 2 m high.
Distribution	Western Australia
Features	Flowers are a rose-pink to pale pink in colour and are clustered together to form a flower head at the ends of branches.



Isopogon latifolius

Common Name

Location ESP

Description Grows as a woody shrub with an erect habit, up to 2.5 m high.

Distribution Western Australia

Features Showy pink flower heads appear at the ends of branches above the foliage between September and December.



Isopogon scabriusculus

Common Name

Location AVW

Description Open upright shrub growing up to 1.2 m high.

Distribution Western Australia

Features Leaves have a “sandpaper-like” surface. Pink, purple and red flowers bloom from August to December.



Isopogon trilobus

Common Name Barrel coneflower

Location MAL

Description Small to medium shrub with distinctive lobed foliage, growing from 0.3 m to 2 m in height.

Distribution Western Australia

Features Barrel-shaped yellow flowers occur in late winter through to early summer.

Ixodia achilleoides

Common Name	Mountain Daisy, Hills Daisy
Location	EYB
Description	Small rounded shrub with height and width of 0.9 m.
Distribution	South Australia, Victoria
Features	Small, dark green leaves are lance-shaped and often sticky. Clusters of small white flowers with yellow centres occur in spring and summer.



Kunzea affinis

Common Name	
Location	MAL Display
Description	Erect shrub growing to between 0.3 m and 1.5 m high.
Distribution	Western Australia
Features	Leaves are erect or pressed against the stem; groups of 2 to 5 pink/red-purple flowers appear on the ends of the branches.



Kunzea baxteri

Common Name	Scarlet Kunzea, Crimson Kunzea
Location	ESP, MAL
Description	Spreading shrub growing to 1.5 m high.
Distribution	Western Australia
Features	Large crimson flower clusters appear in spring and sporadically throughout the year.



Kunzea pulchella

Common Name	Granite Kunzea
Location	AVW, ESP
Description	Erect or spreading shrub, reaching between 1 m and 3 m high.
Distribution	Western Australia
Features	Closely related to the bottlebrushes; grey-green foliage and red flowers with gold-tipped stamens from late winter to spring.



Labichea lanceolata

Common Name	
Location	GES
Description	Small to medium, woody shrub reaching 2 m in height.
Distribution	Western Australia
Features	Leaves range in length from 25 mm to 120 mm and in width, from 10 mm to 20 mm. Flowers are bright yellow, have 4 petals and a red centre, and are up to 30 mm in diameter.



Lambertia ericifolia

Common Name	Heath-leaved Honeysuckle
Location	AVW
Description	Slender, non-lignotuberous shrub which may grow to 5 m high.
Distribution	Western Australia
Features	The leaves are narrow and linear. Orange tubular flowers occur from spring to autumn.



Lambertia inermis

Common Name	Wild Honeysuckle
Location	AVW, ESP
Description	Erect, spreading, non- <i>lignotuberous</i> shrub or tree which can reach 6 m in height.
Distribution	Western Australia
Features	Flowers are asymmetrical with a long floral tube and tightly-rolled lobes, and are yellow/orange-red in colour.



Lasiopetalum baueri

Common Name	Slender Velvet Bush
Location	EYB, SAD
Description	Spreading shrub – about half meter high with similar width.
Distribution	South Australia, Victoria, New South Wales, Tasmania
Features	The dense red-brown hairs on the stems give the plant a rusty appearance; small pink flowers in winter and spring.



Lasiopetalum behrii

Common Name	Pink Velvet Bush
Location	EYB
Description	Small to medium shrub growing to about 1.5 m high.
Distribution	South Australia
Features	Dark green leaves are rigid and have pale hairs on the under surface. Pink flowers bloom from late winter to spring.

Lasiopetalum discolor

Common Name	Coast Velvet Bush
Location	EYB
Description	Erect or spreading shrub growing up to 1 m high.
Distribution	Western Australia, South Australia
Features	Dark green foliage provides great contrast to the masses of pink-mauve flowers which occur in spring.



Lasiopetalum schultzenii

Common Name	Drooping Velvet Bush
Location	EYB
Description	Small shrub up to 1 m high
Distribution	South Australia
Features	Soft lanceolate leaves. Flowers dark reddish brown

Lechenaultia biloba

Common Name	Blue Lechenaultia
Location	AVW, ESP, GES, MAL
Description	Open spreading shrub which is usually 50 cm high with a similar width.
Distribution	Western Australia
Features	Flowers are various shades of blue and bloom from winter through to summer



Lechenaultia floribunda

Common Name	Free-flowering Leschenaultia
Location	MAL
Description	Small shrub reaching up to 1 m high.
Distribution	Western Australia
Features	Pale purple flowers from August to December



Lechenaultia formosa

Common Name	Red Leschenaultia
Location	AVW, ESP, GES, MAL
Description	Prostrate shrub barely reaching 50 cm high by a similar width.
Distribution	Western Australia
Features	Bright orange/red or pink flowers are five-petaled, and about 12-15 mm long, and occur in winter and spring.



Lechenaultia hirsuta

Common Name	Hairy Lechenaultia
Location	GES
Description	Straggly shrub less than 1 m high
Distribution	Western Australia
Features	Outstanding bright red flowers



Lechenaultia linarioides

Common Name	Yellow Leschenaultia
Location	GES
Description	Sprawling shrub up to 1.5 m high, with linear leaves scattered along upwardly arching branchlets.
Distribution	Western Australia
Features	Flowers occur from January to December, and are red, pink, cream and yellow.



Lechenaultia superba

Common Name	Barrens Leschenaultia
Location	AVW
Description	Erect shrub growing up to 0.7 m high, with narrow linear leaves.
Distribution	Western Australia
Features	Yellow, orange and red flowers bloom from January to March

Leptospermum sericeum

Common Name	Silver Teatree
Location	ESP
Description	Ornamental shrub which grows to about 1.5 m in height.
Distribution	Western Australia
Features	Silvery-green foliage and delicate pink flowers which bloom from May to October.



Lysiosepalum abollatum

Common Name	Woolly Lysiosepalum
Location	AVW
Description	Dense, erect shrub typically reaching 1.5 m high, with hairy stems.
Distribution	Western Australia
Features	Pink-lilac-mauve flowers bloom in August or September.

Lysiosepalum involucreatum

Common Name	
Location	AVW
Description	Compact shrub, growing up to 0.5 m high by about 1 m wide, with grey-green hairy leaves.
Distribution	Western Australia
Features	Small, pink to mauve flowers bloom in spring.

Macrozamia riedlei

Common Name	Zamia Palm
Location	ESP
Description	Tree or trunkless, low-growing cycad up to 3 m in height.
Distribution	Western Australia
Features	Palm-like leaves are flat and glossy. Cones can grow to 50 cm and weigh up to 14 kg.



Maireana georgei

Common Name	Slit-wing Bluebush, Satiny Bluebush
Location	COO, NUL
Description	Compact, rounded shrub with a height from 0.5 m to 1 m.
Distribution	Western Australia, Northern Territory, South Australia, New South Wales, Queensland
Features	Small flowers from August to October; branches are woolly with thick succulent leaves.

Maireana apressa

Common Name	Grey Bluebush
Location	EYB
Description	Erect shrub up to 70 cm high, with narrow, flat and hairy leaves which alternate up the stems.
Distribution	Western Australia, South Australia, Northern Territory, New South Wales, Queensland, Victoria
Features	Tiny, glabrous flowers are less than 3 mm across.

Maireana brevifolia

Common Name	Cotton Bush
Location	NUL
Description	Erect shrub up to 1.5 m high, with succulent, hairless leaves which alternate up the stems.
Distribution	Western Australia
Features	

Maireana carnosa

Common Name	Cottony Bluebush
Location	MUR
Description	Spreading to prostrate perennial with a woody base, 30 cm high.
Distribution	Western Australia, South Australia
Features	White flowers from June or August to September.

Maireana erioclada

Common Name	Rosy Bluebush, Fleshy Bluebush
Location	NUL
Description	Bushy, spreading shrub to 60 cm high, with woolly branches, narrow fleshy leaves.
Distribution	Western Australia, South Australia, Victoria, New South Wales
Features	White woolly leaves and rose coloured fruits.

Maireana oppositifolia

Common Name	Heathy Bluebush
Location	EYB, NUL
Description	Upright shrub growing up to 1 m high and 1 m wide
Distribution	Western Australia, South Australia
Features	Silvery grey foliage with insignificant flowers; drought resistant.



Maireana sedifolia

Common Name	Pearl Bluebush
Location	NUL
Description	Compact hardy shrub up to 1 m high
Distribution	Western Australia, South Australia, Victoria, New South Wales, Northern Territory
Features	Distinctive bluish grey foliage with insignificant flowers in spring and winter



Malva preissiana

Common Name	Australian Hollyhock
Location	EYB
Description	Large annual or perennial herb growing up to 3 m high
Distribution	All Australian States
Features	Flowers may be pink or white

Melaleuca coccinea

Common Name	Goldfields Bottlebrush
Location	COO
Description	Small to medium shrub growing to 2 m high with a spread of 1 m.
Distribution	Western Australia
Features	Bottlebrush spikes of red flowers occur in spring and summer, and are followed by hairy, woody capsules.



Melaleuca conothamnoides

Common Name	
Location	COO, MUR
Description	Erect open shrub reaching up to 1.5 m high
Distribution	Western Australia
Features	Bright pink flowers occur at the ends of the branches from September to November, and are followed by spherical woody capsules.

Melaleuca cordata

Common Name	
Location	GES
Description	Erect shrub which may grow as high as 3 m; it has dark grey fibrous bark and heart-shaped leaves.
Distribution	Western Australia
Features	Clusters of deep pink to purple flowers occur from late spring to summer, and are followed by clusters of woody capsules.

Melaleuca elliptica

Common Name	Granite Honey Myrtle
Location	ESP
Description	Hardy, erect shrub growing up to 4 m high, with grey-green foliage and grey papery bark.
Distribution	Western Australia
Features	Bright red, bottlebrush flowers are 8 cm long, and are attractive to birds.



Melaleuca filifolia dwarf

Common Name	Wiry Honey-myrtle
Location	GES
Description	Open erect shrub to 1 m high, with long narrow leaves
Distribution	Western Australia
Features	Bright pink-purple flowers with yellow anthers occur in spring and summer.



Melaleuca fulgens

Common Name	Scarlet Honey-myrtle
Location	AVW, Display
Description	Compact to straggly shrub up to 1.5 m high and 2 m wide; both leaves and branches are aromatic.
Distribution	Western Australia
Features	Brush-like flowers which may be orange, red, pink or purple appear in spring and summer.



Melaleuca glaberrima

Common Name

Location ESP, MAL

Description Hardy shrub growing up to 2.5 m tall, with small linear leaves

Distribution Western Australia

Features Mauve flower spikes, which fade to white, are about 2 cm long and occur in spring and summer.



Melaleuca macrorychia

Common Name

Location MAL

Description Erect, multi-stemmed shrub reaching 2 m in height, with dark green elliptical leaves.

Distribution Western Australia

Features Red flowers are arranged in spikes; flowering begins in summer and continues for many months.



Melaleuca megacephala

Common Name

Location GES

Description Erect bushy shrub up to 2.5 m tall, with oval shaped leaves that are 15-25 mm long.

Distribution Western Australia

Features Pale yellow flowers appear in clusters in spring.



Melaleuca oldfieldii

Common Name

Location GES

Description Spreading shrub typically reaching 2 m in height, with oval shaped leaves.

Distribution Western Australia

Features Yellow flower heads appear in November and are followed by small woody capsules 5mm long.

Melaleuca pentagona

Common Name Oval-leafed Honey-myrtle

Location MAL

Description Spreading shrub about 1 m high

Distribution Western Australia

Features Showy pink flowers on the ends of branches in spring

Melaleuca psammophila

Common Name

Location GES

Description Small, profusely flowering shrub up to 2 m high; new branchlets are covered in hairs which are lost as the branches mature.

Distribution Western Australia

Features Clusters of pink flower heads with yellow anthers appear at the ends of branches in spring and early summer.

Melaleuca pulchella

Common Name Claw Flower, Claw Honey-myrtle

Location ESP

Description Spreading shrub growing from 1m to 2 m in height.

Distribution Western Australia

Features Flowers are pink to mauve in colour – the longer curved outer stamens give the appearance of a claw.

Melaleuca seriata

Common Name

Location MAL

Description Spreading or erect shrub up to 1 m high, with branchlets covered in small silky hairs.

Distribution Western Australia

Features Pink-purple flowers bloom from October to December.

Melaleuca spathulata

Common Name

Location MAL

Description Erect shrub growing up to 2 m high; it has grey papery bark and twisted branches.

Distribution Western Australia

Features Pink/purple/red flowers are pom-pom shaped and occur in spring.

Melaleuca subfalcata

Common Name

Location MAL

Description Spreading shrub with rough fibrous bark that grows up to 3 m in height.

Distribution Western Australia

Features Pale pink flowers grow on the sides of the branches from November to March.

Melaleuca trichophylla

Common Name

Location GES

Description Small spreading shrub with height of 0.8 m and spread of 2 m

Distribution Western Australia

Features Clusters of globular pink or purple flowers with yellow tips occur in late winter to early summer.



Melaleuca urceolaris

Common Name

Location GES

Description Small shrub usually less than 1 m high

Distribution Western Australia

Features Yellow flowers which may fade to pink or red



Melaleuca violacea

Common Name

Location ESP

Description Semi-prostrate shrub up to 1 m high and 1.5 m wide; heart-shaped leaves are less than 1 cm long.

Distribution Western Australia

Features Mauve-purple flowers appear in small lateral clusters during spring.

Mirbelia dilatata

Common Name Holly-leaved Mirbelia,
Wedge-leaved Mirbelia

Location AVW

Description Erect or semi-weeping shrub growing up to 3 m high with prickly leaves.

Distribution Western Australia,
Queensland, New South
Wales, Victoria

Features Pink-purple pea flowers
appear from September to
December.



Nematolepis phebaloides

Common Name

Location AVW

Description Small upright shrub growing up to 1 m high, with oval-shaped leaves that are glossy green above and covered with silvery scales on the underside.

Distribution Western Australia

Features Bell-shaped flowers are red with a yellow tip, about 35 mm long, bloom from winter to early spring, and attract honey-eating birds.



Nuytsia floribunda

Common Name Western Australian Christmas Bush

Location GES

Description Semi-parasitic tree which may reach 10 m high

Distribution Western Australia

Features Brilliant orange flowers mainly in December

Olearia axillaris

Common Name Coastal Daisy Bush

Location EYB, NUL

Description Erect, bushy shrub reaching up to 2 m in height. It has a silvery green appearance due to the very fine, dense hairs which cover the branches and undersides of the leaves.

Distribution Western Australia, South Australia, Victoria, New South Wales, Tasmania

Features Flowers are white with yellow centres and appear in the angles between branches and leaves.



Olearia ciliata

Common Name	Fringed Daisy Bush
Location	EYB
Description	Small upright shrub, about 30 cm high, with linear leaves that are bright green on the upper side whilst the underside is paler and hairy.
Distribution	Western Australia, South Australia, Victoria, Tasmania
Features	Bright purple flowers are about 25 mm in diameter and occur in late winter and spring.

Olearia homolepis

Common Name	
Location	AVW
Description	Small shrub up to 1 m in height
Distribution	Western Australia
Features	Flowers may be white or pale blue and bloom between July and November.



Olearia magniflora

Common Name	Splendid Daisy Bush
Location	EYB, SAD
Description	Open upright shrub growing up to 1.5 m high. Leaves can be wedge-shaped, dark green on the upper side and sticky underneath.
Distribution	Western Australia, South Australia, Victoria
Features	Deep purple flowers have a yellow centre, and appear in clusters at the ends of branches from July to January.



Olearia muelleri

Common Name	Mueller's Daisy Bush, Goldfields Daisy, Dusky Daisy Bush
Location	NUL
Description	Hardy, spreading shrub up to 1.5 m high, with float, stiff and slightly sticky foliage.
Distribution	Western Australia, Northern Territory, South Australia, Victoria, New South Wales
Features	Flowers are white (although blue/purple flowers have been recorded) with yellow centres and occur from August to December.

Olearia pannosa* subsp *pannosa

Common Name	Silver Daisy Bush
Location	EYB
Description	Low spreading shrub with tuberous roots, up to 1.5 m high. Leaves are shiny on top but covered with dense woolly hairs underneath.
Distribution	South Australia
Features	White flowers appear between August and October.



Olearia pimeleoides

Common Name	Pimelea Daisy Bush, Showy Daisy Bush
Location	EYB, SAD
Description	Erect shrub, up to 1 m high with similar width. The leaves are flat and have hairs underneath.
Distribution	Western Australia, South Australia, Victoria, New South Wales, Queensland
Features	Flowers are white with yellow centres and have between 8 and 25 petals.



Olearia ramulosa

Common Name	Twiggy Daisy Bush
Location	EYB
Description	Erect spindly shrub growing up to 1.5 m high and 2m wide. The under sides of the leaves are grey and woolly.
Distribution	South Australia, Victoria, Tasmania, New South Wales
Features	Masses of small white flowers, 25 mm wide, bloom from October to May.

Orthrosanthus multiflorus

Common Name	Morning Flag
Location	ESP, Display
Description	Clumping perennial with grass-like foliage grows up to 1 m tall.
Distribution	Western Australia, South Australia, Victoria
Features	Masses of pale blue flowers occur in spring and are attractive to bees and butterflies.



Pembertonia latisquamea

Common Name	Climbing Daisy, Shark Bay Daisy
Location	GES
Description	Small shrub or climber
Distribution	Western Australia
Features	Blue daisy-like flowers with yellow centres bloom from July to October



Petrophile biloba

Common Name	Granite Petrophile
Location	Display
Description	Erect open shrub growing up to 2 m high with a similar spread. The two-lobed leaves are about 15 mm long.
Distribution	Western Australia
Features	Small pink flowers occur in small clusters and bloom in spring.



Petrophile ericifolia

Common Name	Cone Bush
Location	AVW, MAL
Description	Erect, multi-stemmed shrub growing up to 1.5 m high. The leaves are cylindrical, about 1 cm long and sometimes have a point.
Distribution	Western Australia
Features	Hairy, yellow flowers occur in August to November.

Petrophile fastigiata

Common Name	Cone Bush
Location	ESP, MAL
Description	Bushy, multi-branched shrub typically up to 1.5 m high
Distribution	Western Australia
Features	Creamy yellow flowers contrast with the upright green foliage, and are followed by grey conical fruit.

Petrophile longifolia

Common Name	Long-leaved Cone Bush
Location	AVW, ESP
Description	Prostrate shrub, 30 cm high and 50 cm wide, with long, thin, cylindrical leaves.
Distribution	Western Australia
Features	Small cream flowers occur in clusters at the ends of short branches and may be hidden in the foliage.



Petrophile squamata

Common Name	
Location	AVW!
Description	Small shrub often less than 1 m high
Distribution	Western Australia
Features	Cream/yellow flowers in spring

Petrophile teretifolia

Common Name	
Location	AVW
Description	Small shrub usually less than 1 m high
Distribution	Western Australia
Features	Long foliage 10-20 cm. Pink and grey flowers.

Phebalium glandulosum

Common Name	Desert Phebalium
Location	EYB
Description	Small shrub, rarely growing higher than 1 m, with prominent warty glands on the stems and leaves.
Distribution	South Australia, New South Wales, Queensland
Features	The leaves are wedge-shaped and range from 5 mm to 25 mm long. The yellow flowers are small, have five petals and long stamens, and appear in early spring.

Philothea nodiflora

Common Name	Blue Waxflower
Location	ESP
Description	Small upright shrub up to 1 m in height, with grey-green linear leaves that release a strong aroma when crushed.
Distribution	Western Australia
Features	Five-petalled flowers may be coloured pale blue, pink or mauve and occur in winter through to spring.

Phymatocarpus maxwellii

Common Name	
Location	COO, GES, MAL
Description	Erect or spreading shrub growing up to 2 m high and 2.5 m wide, with leaves that are broad, curved and stiff.
Distribution	Western Australia
Features	Many small heads of pink-purple flowers occur at the ends of the branches in October.

Pileanthus aurantiacus

Common Name	Coppercups
Location	GES
Description	Upright woody shrub that may reach 2 m in height
Distribution	Western Australia
Features	Bright orange “cup-shaped” flowers bloom in spring.



Pileanthus peduncularis

Common Name	Copper Cups
Location	AVW
Description	Spreading shrub up to 1 m high by a similar width, with small linear leaves and attractive copper-orange flowers.
Distribution	Western Australia
Features	Flowers have five petals, are about 22 mm in diameter, and occur towards the end of the branches between August and December.

Pileanthus rubrinitidus

Common Name	Copper Cups
Location	Display, GES
Description	Spreading shrub up to 1 m high by a similar width, with small leaves
Distribution	Western Australia
Features	Orange/red flowers have five petals and are about 22 mm in diameter. They occur towards the end of the branches between August and December.

Pileanthus vernicosus

Common Name	Copper Cups
Location	GES
Description	Slender woody shrub with prominent oil glands that grows to about 1 m high.
Distribution	Western Australia
Features	Small leaves grow on twiggy branchlets. Bright red to orange flowers bloom between September and November.



Pimelea ciliata

Common Name	White Banjine
Location	AVW
Description	Small erect shrub growing up to 1 m high, with oval shaped leaves that have a pointed tip.
Distribution	Western Australia
Features	White flowers are produced on the ends of the branches in winter and spring.

Pimelea ferruginea

Common Name	Pink Rice Flower
Location	ESP
Description	Erect dense shrub with a height of 1 m and width of up to 2 m.
Distribution	Western Australia
Features	Clusters of pink flowers in spring through to summer, and dark green foliage with 12 mm long leaves.



Pimelea physodes

Common Name	Qualup Bell
Location	MAL
Description	Small erect shrub up to 1 m high.,
Distribution	Western Australia
Features	Grafted . Flowers appear in winter and spring, and occur at the ends of branches. They are enclosed by leafy bracts which results in a bell shape.



Pimelea suaveolens

Common Name	Scented Banjine. Silky-yellow Banjine
Location	ESP
Description	Erect spindly shrub up to 1.5 m high, with glabrous stems and leaves.
Distribution	Western Australia
Features	Yellow flowers are surrounded by hairy, petal-like bracts, and are produced from June to October.



Pimelea sylvestris

Common Name	Edna Walling Rice Flower
Location	ESP
Description	Multi-stemmed, upright shrub with a height between 30 cm and 2 m
Distribution	Western Australia
Features	Terminal heads of perfumed pink-white flowers appear from August to December, and are attractive to butterflies.



Pittosporum angustifolium

Common Name	Native Apricot
Location	SAD
Description	Slow growing shrub or small tree that reaches height between 2 m and 6 m. It has low, pendulous branches and long, thin leaves
Distribution	Western Australia, Northern Territory, South Australia, Victoria, New South Wales, Queensland
Features	Small, fragrant, tubular flowers bloom from late winter to mid spring, and are followed by fruit which resembles an apricot.



Platytheca galioides

Common Name	
Location	ESP
Description	Slender erect or straggling shrub about .5 m high.
Distribution	Western Australia
Features	Purple flowers from July to November.

Pomaderris obcordata

Common Name	Wedge-leaved Pomaderris
Location	ESP
Description	Small shrub up to 1 m in height with distinctive wedge-shaped leaves.
Distribution	Western Australia, South Australia, Victoria
Features	Clusters of small white flowers can bloom between May and September

Prostanthera eurybioides

Common Name	Monarto Mintbush
Location	SAD, Display
Description	Low, spreading shrub, up to 1 m high, with clusters of oval-shaped leaves which have a strong aroma when crushed.
Distribution	South Australia
Features	Pale purple flowers are tube-shaped with brown or orange spots on the inside, and appear from August to November.

Prostanthera aspalathoides

Common Name	Scarlet Mint Bush
Location	SAD
Description	Small shrub with a height up to 0.5 m with a similar width.
Distribution	South Australia, Victoria, New South Wales
Features	Linear leaves are highly aromatic; tubular flowers are usually red or yellow and about 1.5 cm long.



Prostanthera baxteri

Common Name	
Location	MAL
Description	Shrub about 1.5 m high
Distribution	Western Australia
Features	Flowers usually mauve with spots or stripes in the throat

Prostanthera calycina

Common Name	West Coast Mintbush
Location	EYB
Description	Spreading shrub to about 50 cm in height, with oblong leaves that smell of mint when crushed.
Distribution	South Australia
Features	Leaves are 10 mm in diameter and covered in microscopic hairs; the tubular flowers are pale red and bloom in spring and early summer.



***Prostanthera chlorantha* Rapid Bay form**

Common Name	Green Mintbush
Location	EYB
Description	Small shrub, rarely growing higher than 1 m
Distribution	South Australia
Features	Green flowers in winter and spring



Prostanthera eckersleyana

Common Name	Crinkly Mintbush
Location	AVW
Description	Erect or prostrate shrub up to 1 m high
Distribution	Western Australia
Features	Leaves can be sticky and are between 3 mm and 10 mm long; pale purple flowers occur from July to December.



Prostanthera eurybioides

Common Name	
Location	Display
Description	Low spreading shrub, less than 1 m high, with hairy branches
Distribution	South Australia
Features	Pale purple flowers have brown or orange spots on the inside and bloom in spring.



Prostanthera florifera

Common Name

Location EYB

Description Shrub usually less than 1 m high

Distribution South Australia

Features Red/pink spotted flowers

Prostanthera magnifica

Common Name Magnificent Mint Bush

Location AVW, Display

Description Small to medium erect shrub, growing up to 1.5 m high and 1 m across.

Distribution Western Australia

Features Maroon bracts encase the mauve-pink tubular flowers which bloom from winter through to summer.



Prostanthera serpyllifolia

Common Name Small-leaved Mintbush, Thyme-leaved Mintbush

Location EYB, SAD

Description Small shrub up to 1.5 m high;

Distribution Western Australia, South Australia, Victoria, New South Wales

Features Tubular flowers vary in colour from pale pink to red, from blue-green to grey green.


Prostanthera striatiflora

Common Name	Jockey's Cap, Striped Mint Bush
Location	SAD
Description	Erect shrub up to 2 m in height, with highly aromatic foliage
Distribution	Western Australia, Northern Territory, South Australia, New South Wales
Features	White flowers with purple stripes occur in clusters at the ends of branches in late winter and spring.



Ptilotus drummondii

Common Name	Narrowleaf Mulla Mulla
Location	Display, MUR
Description	Perennial herb about 0.5 m high, with
Distribution	Western Australia
Features	Flowers have a round 'pom-pom' shape and are white with pink stamens.



Ptilotus macrocephalus

Common Name	Green Pussytails, Featherheads
Location	Display
Description	Perennial herb growing up to 50 cm high.
Distribution	Western Australia, South Australia, Victoria, New South Wales, Queensland
Features	Cylindrically shaped flowers are cream-green in colour, and are thought to be mainly pollinated by nocturnal moths.



Ptilotus manglesii

Common Name	Pom Poms
Location	Display
Description	Perennial herb up to 1 m high
Distribution	Western Australia
Features	Pink flowers in spring and summer



Ptilotus obovatus

Common Name	Silvertails, Cotton Bush
Location	COO, Display,, MUR, NUL
Description	Low, spreading shrub up to 1 m high; the hairs or scales on the foliage give the plant a woolly appearance.
Distribution	Western Australia, Northern Territory, South Australia, Victoria, New South Wales, Queensland
Features	Clusters of pink-tipped white flowers appear from winter through to summer.



Pultenaea largiflorens

Common Name	Twiggy Bush-pea
Location	EYB
Description	Erect shrub growing to about 1 m high, with small concave to folded leaves..
Distribution	South Australia, Victoria, New South Wales
Features	Clusters of between two and eight yellow pea-shaped flowers bloom in September and October.

Pultenaea pedunculata

Common Name	Matted Bush-pea
Location	EYB
Description	Prostrate shrub rarely more than 20 cm high but with a spread of about 2 m.
Distribution	South Australia, Victoria, Tasmania, New South Wales
Features	Pea-shaped flowers are usually yellow or orange and appear near the ends of the branches in spring.



Quoya dilatata

Common Name	
Location	AVW
Description	Woolly spreading shrub up to 0.5 m high
Distribution	Western Australia
Features	Orange flowers, grey hairy foliage

Regelia megacephala

Common Name	Purple Flowered Regelia
Location	AVW
Description	Erect shrub growing to 2 m high, with small rounded leaves and clusters of purple-red flowers.
Distribution	Western Australia
Features	Flowers bloom from September to December and are followed by woody capsules.



Regelia velutina

Common Name

Location ESP

Description Large shrub which can reach 3 m in height; greyish-green foliage provides contrast to the clusters of red flowers.

Distribution Western Australia

Features Flowers appear in spherical heads on the ends of branches and are usually red-orange in colour.



Rhodanthe chlorocephala subsp rosea

Common Name Rosy Sunray, Pink Paper Daisy, Pink and White Everlasting

Location Display

Description Erect annual herb, between 20 cm and 60 cm high, with grey-green foliage.

Distribution Western Australia, South Australia

Features Flower heads which are about 6 cm in diameter, have petals that are varying shades of pink, and have a yellow centre.



Ricinocarpus tuberculatus x cyanescens Bridal Star

Common Name Wedding Bush

Location Display

Description Evergreen shrub with an upright habit, which may reach 2 m high; leaves are small, glossy & linear

Distribution Western Australia

Features Clusters of fragrant star-like white flowers appear in spring



Scaevola calendulacea

Common Name	Dune Fan-flower
Location	EYB
Description	Prostrate spreading shrub up to 40 cm high; stems and leaves are covered in hairs which lay flat (appressed)
Distribution	South Australia, Victoria, Tasmania, New South Wales, Queensland
Features	Bright blue flowers are bearded inside, and appear throughout the year.

Scaevola crassifolia

Common Name	Thick-leaved Fan-flower, Cushion Fan-flower
Location	EYB
Description	Hardy shrub well suited to coastal regions; typically about 1.5 m high and 3 m wide; leaves are thick and fleshy
Distribution	Western Australia, South Australia
Features	Blue-white fan shaped flowers appear from mid-winter through to February.



Scaevola depauperata

Common Name	Skeleton Fan-flower
Location	SAD
Description	Rigid multi-stemmed shrub up to 1 m high; striate stems are usually smooth but may have very fine hairs
Distribution	South Australia, Victoria, New South Wales, Queensland, Northern Territory
Features	Flowers are pale purple or white and occur on stalks arising from the base of the stem leaves.

Scaevola humilis

Common Name	Sandplain Fan-flower
Location	SAD
Description	Perennial herb up to 50 cm high; leaves are oblong and attached directly to stems (no stalks)
Distribution	South Australia, Northern Territory, Queensland, New South Wales
Features	Pale blue flowers are bearded on the inside and bloom mainly from May to October.



Scaevola linearis

Common Name	Rough Fan-flower
Location	SAD
Description	Prostrate shrub with height of 50 cm and spread of 80 cm; the small leaves are hairy
Distribution	South Australia
Features	Flowers are pale blue to white and bloom in spring

Scaevola platyphylla

Common Name	Broad-leaved Fan-flower
Location	AVW
Description	An erect spreading shrub reaching 1.3 m high
Distribution	Western Australia
Features	Blue-mauve flowers bloom between August and January.

Scaevola striata

Common Name	Royal Robe? Veined Fan-flower
Location	ESP, GES
Description	Prostrate perennial herb
Distribution	Western Australia
Features	Flowering occurs from August to December. Purple petals change to yellow at the base.



Scholtzia capitata

Common Name	Pom-pom Scholtzia
Location	MUR
Description	Erect shrub typically reaching height of 2 m; sparse foliage
Distribution	Western Australia
Features	Small pink-white flowers bloom from July to December.



Scholtzia oligandra

Common Name	Pink Scholtzia
Location	GES
Description	Erect shrub growing to height between 1 m and 3 m
Distribution	Western Australia
Features	White or pink flowers occur between July and October.



Scholtzia parviflora

Common Name	
Location	GES
Description	Erect shrub with a spreading habit, growing up to 3 m high, with very small leaves
Distribution	Western Australia
Features	Tiny pink-white flowers bloom between August and October.

Scholtzia spatulata

Common Name	
Location	GES
Description	Shrub growing up to 1.5 m high
Distribution	Western Australia
Features	Pink-white flowers are produced between September and January.

Senna artemisioides* subsp *coriacea

Common Name

Location NUL

Description Shrub or small tree reaching 3 m in height, with grey-green pinnate leaves about 30 mm long and 6 mm wide

Distribution Western Australia, Northern Territory, South Australia, Victoria, New South Wales, Queensland

Features Clusters of yellow flowers occur in winter and spring. They are followed by light green pods (from 2 cm to 7 cm long) which change to dark brown as they age.

Senna artemisioides* subsp *petiolaris

Common Name Woody Cassia

Location EYB, NUL

Description Erect, rounded shrub up to 2.5 m high; leaves are long and thin with smooth edges and curved tips.

Distribution Western Australia, Northern Territory, South Australia, Victoria, New South Wales, Queensland

Features Yellow flowers appear in clusters of 3 to 10 flowers in winter and spring.

Schoenia cassiniana

Common Name Pink Cluster Everlasting

Location Display

Description Erect annual herb up to 0.5 m high

Distribution Western Australia, Northern Territory, South Australia

Features Bright pink and yellow flowers bloom over several months from late winter to summer.

Seringia adenogyna

Common Name Common Firebush

Location MAL

Description Shrub growing up to 2 m high

Distribution Western Australia, South Australia, New South Wales, Queensland, Northern Territory

Features Velvety leaves with blue-purple flowers nearly all year round.



Siegfriedia darwinioides

Common Name

Location ESP, MAL

Description Shrub with many branches which grows up to 1 m high

Distribution Western Australia

Features Yellow, bell-shaped flowers occur from May to November.



Solanum orbiculatum

Common Name Tomato bush, Wild Tomato, Round-leaved Solanum

Location NUL

Description Compact, rounded shrub that grows to about 1.5 m high; the round leaves and new stems are covered in fine tiny hairs which make it look silvery or rusty.

Distribution Western Australia, Northern Territory, South Australia

Features Purple flowers have 5 narrow petals and 5 large yellow stamens; flowering occurs from June to October.

Solanum simile

Common Name Kangaroo Apple, Oondoroo

Location EYB

Description Erect shrub that may reach height of 2 m

Distribution Western Australia, South Australia, Victoria, New South Wales

Features Purple flowers have a tubular shape; groups of between 1 and 12 flowers arise from the bases of the leaves in spring and summer.



Spyridium bifidum

Common Name	Forked Spyridium?
Location	EYB
Description	Small shrub with slender branches and Y-shaped leaves
Distribution	South Australia
Features	Flowers are creamy white with 4 narrow bracts



Spyridium coactilifolium

Common Name	Butterfly Spyridium
Location	EYB, SAD
Description	A shrub with branches covered in hairs.
Distribution	South Australia
Features	Funnel shaped flowers in compact heads surrounded by white velvety leaves, bloom from December to February.



Swainsona formosa

Common Name	Sturt's Desert Pea
Location	MUR
Description	Mostly prostrate shrub that may have stems up to 2 m long – it is the floral emblem of South Australia
Distribution	Western Australia, South Australia, New South Wales
Features	Distinctive, bright red flowers have leaf-like petals and a shiny, bulbous, black centre.



Templetonia retusa

Common Name	Cocky's Tongues, Cockies Tongues, Coral Bush
Location	Display, EYB
Description	Small to medium shrub with a height of up to 2 m; greyish green leaves are oblong to wedge-shaped with a blunt indented tip
Distribution	Western Australia, South Australia
Features	Flowers have a typical "pea" shape, and are usually a deep red in colour. Flowering occurs in winter to spring.



Thomasia petalocalyx

Common Name	Paper Flower
Location	MAL
Description	Low, spreading shrub about 80 cm high with a spread of 160 cm
Distribution	Western Australia. South Australia, Victoria
Features	Small sprays of cup-shaped, pinkish flowers appear in October until January.

Thomasia pygmaea

Common Name	Tiny Thomasia
Location	ESP
Description	Small spreading shrub about 30 cm high with a spread of 50 cm; leaves are heart-shaped and about 10 mm long.
Distribution	Western Australia
Features	Purple-pink flowers are covered with small red dots, and produced between August and November.



Thomasia sarotes

Common Name

Location COO

Description Erect, spreading shrub up to 1 m in height; stems and leaves are hairy.

Distribution Western Australia

Features Flowers may be white or a pinkish purple and bloom between August and December.

Thryptomene baeckeacae

Common Name

Location GES

Description Small shrub with a slightly weeping habit, growing up to 1 m high and 1.2 m wide

Distribution Western Australia

Features Clusters of tiny pink, white or mauve flowers bloom from May to October.



Thryptomene hyporhysis

Common Name

Location AVW

Description Small shrub less than 1 m high

Distribution Western Australia

Features White or pink flowers in spring

Thryptomene nitida

Common Name

Location ESP, GES

Description Small shrub about 0.2 m high

Distribution Western Australia

Features Lots of pink flowers in spring



Thryptomene strongylophylla

Common Name	
Location	GES
Description	Sraggly shrub reaching a height between 0.4 m and 1 m
Distribution	Western Australia
Features	Purple flowers occur between May and November.



Thysanotus multiflorus

Common Name	Fringe Lily, Frilly Knickers
Location	ESP
Description	Clumping perennial with bluish-green grass-like foliage; growing up to 50 cm high and 50 cm wide.
Distribution	Western Australia
Features	Purple flowers have 3 petals which are each fringed with tiny hairs. Flowering is from August to December.



Velleia trinervis

Common Name	
Location	Disp, ESP, MAL
Description	Perennial herb up to 50 cm high.
Distribution	Western Australia
Features	Spikes of yellow-brown flowers occur in spring.



Verticordia bifimbriata

Common Name

Location AVW

Description Small shrub less than 1 m high

Distribution Western Australia

Features Pink flowers in late spring and summer

Verticordia carinata

Common Name Stirling Range Featherflower

Location ESP

Description Open slender shrub up to 1 m in height, with small, well-spaced leaves that have short hairs on the edges.

Distribution Western Australia

Features Pink-red flowers occur from late November to May.

Verticordia chrysantha

Common Name Yellow Featherflower

Location AVW, MAL

Description Small, slow-growing shrub up to 1 m in height, with linear leaves which have a pointed end.

Distribution Western Australia

Features Flowers occur on the ends of branches and are yellow initially before turning reddish brown.



Verticordia chrysostachys

Common Name

Location GES Display

Description Erect to spreading shrub growing up to 2 m high, with small, oval-shaped leaves closely spaced on the stems.

Distribution Western Australia

Features Clusters of deep yellow flowers appear in late spring to summer.



Verticordia chrysostachys* var. *pallida

Common Name

Location

GES

Description

Erect to spreading shrub growing up to 2 m high, with small, oval-shaped leaves closely spaced on the stems.

Distribution

Western Australia

Features

Clusters of cream-coloured flowers appear in late spring to summer.



Verticordia cooloomia

Common Name

Cooloomia Verticordia

Location

GES

Description

Erect shrub growing up to 2.5 m high and with a spread of up to 3 m

Distribution

Western Australia

Features

Bright yellow flowers in October and November contrast with the bright green foliage.



Verticordia dichroma* var. *syntoma

Common Name

Location

GES

Description

Many-branched shrub up to 2 m in height, with oval-shaped leaves that often have toothed margins.

Distribution

Western Australia

Features

Red-yellow flowers can be seen from late October to December.

Verticordia drummondii

Common Name	Drummond's Featherflower
Location	AVW
Description	Small, erect shrub, up to 60 cm high and 50 cm wide, with small, narrow, oval-shaped leaves.
Distribution	Western Australia
Features	Pink-purple flowers occur in spike-like groups from December to April.



Verticordia fastigiata

Common Name	Mouse Featherflower
Location	ESP
Description	Prostrate or low shrub typically about 50 cm high with a spread of 60 cm; leaves are club-shaped with a blunt end.
Distribution	Western Australia
Features	The green-yellow-orange/red flowers have a "mouse" aroma, and bloom between January and July.

Verticordia grandis

Common Name	Scarlet Featherflower
Location	GES
Description	Erect shrub that may reach 2 m in height; leaves are grey-green in colour and are arranged close to the stems.
Distribution	Western Australia
Features	The 5-petalled, deep red flowers are about 2.5 cm in diameter and appear in spring and early summer.



Verticordia insignis subsp eomagis

Common Name

Location AVW

Description Small shrub to 1.5 m high

Distribution Western Australia

Features Pink and white flowers in late spring

Verticordia lepidophylla

Common Name

Location AVW

Description Erect or spreading shrub with height between 1 m and 2 m; small, oval-shaped leaves have a rounded end.

Distribution Western Australia

Features From September or November to January, groups of yellowy-green flowers occur along the stems on erect stalks

Verticordia lindleyi subsp purpurea

Common Name

Location AVW

Description Erect shrub growing to about 1 m high, with elliptical shaped leaves covered with short hairs.

Distribution Western Australia

Features Flowering time is from November to February. The purple-pink flowers have petals that are broad near their tip.



Verticordia luteola

Common Name

Location GES

Description Slender shrub, about 1 m high; elliptical leaves are crowded along the branches and stems, and covered with hairs.

Distribution Western Australia

Features Spikes of pale yellow flowers bloom from November to January.



Verticordia mirabilis

Common Name

Location Display

Description Bushy, spreading shrub up to 60 cm high and 60 cm wide, with crowded leaves along the short side branches.

Distribution Western Australia (Gibson Desert)

Features Red flowers have egg-shaped petals, and bloom in spring.

Verticordia mitchelliana

Common Name Rapier Featherflower

Location AVW, Display

Description Spreading shrub growing up to 50 cm high with a 1 m spread; grey leaves are linear in shape and circular in cross-section.

Distribution Western Australia

Features Bright red flowers occur at the ends of the branches in early summer.



Verticordia monadelphalpha

Common Name Pink Morrison, Pink Cauliflower

Location AVW, GES

Description Dense rounded shrub typically growing to about 1 m high; the leaves are quite fleshy and triangular in cross-section.

Distribution Western Australia

Features Pink-purple flowers appear from October to January; long cilia form a fringe on each flower giving the plant a woolly appearance.



Verticordia monadelph* var *callitricha

Common Name

Location GES

Description Low rounded shrub – 1 m high and 1 m across.

Distribution Western Australia

Features Striking pink to red flowers cover the bush in spring and early summer.

Verticordia muelleriana

Common Name

Location Display, GES

Description Open shrub up to 2 m high; the small leaves are egg-shaped.

Distribution Western Australia

Features Flowers are a deep maroon colour and have feathery lobes – blooms appear from September to January.



Verticordia nitens

Common Name Christmas Morrison, Morrison Featherflower

Location GES, MAL

Description Small upright shrub up to 1.5 m high; leaves are thin and needle-like but soft.

Distribution Western Australia

Features Yellow-orange flowers are scented and arranged *corymb*-like on the ends of the branches.



Verticordia ovalifolia

Common Name	Oval-leaved Featherflower
Location	Display
Description	Erect, spindly shrub growing up to 80 cm high and 90 cm wide; the leaves are elliptical with translucent edges.
Distribution	Western Australia
Features	Groups of cream-pink flowers with feathery lobes occur near the ends of the branches from August to December.

Verticordia pennigera

Common Name	Native Tea
Location	MAL
Description	Erect or prostrate shrub, 80 cm high and 100 cm wide; the leaves are small (4 mm long) and covered in fine hairs.
Distribution	Western Australia
Features	Spikes of pale pink flowers occur in spring.



Verticordia plumosa

Common Name	Plumed Featherflower
Location	ESP, MAL
Description	Open-branched shrub up to 1 m high, with linear leaves that are circular in cross-section
Distribution	Western Australia
Features	Scented flowers which are pink or mauve in colour, are arranged in rounded groups and occur from July to December or January.



Verticordia plumosa* subsp *grandiflora

Common Name

Location

MAL

Description

Erect spindly shrub growing up to 1.2 m high.

Distribution

Western Australia

Features

Pedominantly white flowers have a pink or yellow centre, and bloom from September to December.



Verticordia pulchella

Common Name

Location

AVW

Description

Low shrub up to 0.5 m high and 0.7 m wide; the narrow leaves are rough and grey-green in colour.

Distribution

Western Australia

Features

Feathery red/yellow flowers appear from October to December.

Verticordia serotina

Common Name

Location

Disp

Description

Small shrub with egg-shaped leaves, only reaching 70cm high

Distribution

Western Australia

Features

Spikes of scented dark pink flowers occur in August and September.

Verticordia spicata

Common Name

Spiked Featherflower

Location

GES

Description

Small, upright shrub to 1.5 m high; light green leaves are oval-shaped and pressed close to the stems.

Distribution

Western Australia

Features

Spikes of wispy, white-pink-mauve flowers from October to February.



Verticordia staminosa

Common Name	Wongan Featherflower
Location	AVW
Description	Spreading shrub up to 60 cm high and 1 m wide, with light green foliage on arching branches.
Distribution	Western Australia
Features	Green-yellow flowers have stamens and styles which are longer than the petals. Flowering occurs bloom from July to October.



Verticordia tumida

Common Name	Summer Featherflower
Location	MAL
Description	Open shrub with tiny elliptical leaves, growing to about 80 cm high
Distribution	Western Australia
Features	Pink feathery flowers are scented and bloom from late October through to April.



Verticordia venusta

Common Name	
Location	AVW
Description	Upright shrub with a height up to 1.5 m; the small leaves are dark green and egg-shaped
Distribution	Western Australia
Features	Groups of pink flowers bloom at the ends of the branches from September to January.



Verticordia Wemm's Find

Common Name

Location Display

Description Small shrub

Distribution Western Australia

Features Large bright pink flowers

Xylomelum angustifolium

Common Name Sandplain Woody Pear

Location GES

Description Small tree usually 3-5 m high

Distribution Western Australia

Features Smooth grey trunk and white flowers followed by large pear-shaped fruit.

